

Liste de référence

Section I - Les nouveau-nés africains - Accordons-leur de l'importance

- ⁽¹⁾ MacFarlane A, Johnson A, Mugford M. *Epidemiology*, eds, Rennie J, Robertson N, editors. *Textbook of Neonatology*. 3-33. 1999. Cambridge, Churchill Livingstone 3rd ed.
- ⁽²⁾ UNICEF. *State of the World's Children 2006*. 2005. New York: United Nations Children's Fund.
- ⁽³⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽⁴⁾ Martines J, Paul VK, Bhutta ZA, Koblinsky M, Soucat A, Walker N et al. Neonatal survival: a call for action. *Lancet* 2005; 365:1189-1197.
- ⁽⁵⁾ Bang AT, Reddy MH, Deshmukh MD. Child Mortality in Maharashtra. 2002. *Economic and Political Weekly* 2002; 37(49):4947-4965.
- ⁽⁶⁾ WHO. Neonatal and perinatal mortality: regional, country and global estimates. 2006. Geneva, Switzerland: World Health Organization.
- ⁽⁷⁾ Baiden F, Hodgson A, Adjuik M, Adongo P, Ayaga B, Binka F. Trend and causes of neonatal mortality in the Kassena-Nankana district of northern Ghana, 1995-2002. *Trop Med Int Health* 2006; 11(4):532-539.
- ⁽⁸⁾ Li XF, Fortney JA, Kotelchuck M, Glover LH. The postpartum period: the key to maternal mortality. *Int J Gynaecol Obstet* 1996; 54(1):1-10.
- ⁽⁹⁾ Lawn JE, Shibuya K, Stein C. No cry: Global estimates of intrapartum-related stillbirths and neonatal deaths. *Bull World Health Organ* 2005; 83(6):409-417.
- ⁽¹⁰⁾ Stanton C, Lawn JE, Rahman H, Wilczynska-Ketende K, Hill K. Stillbirth rates: delivering estimates in 190 countries. *Lancet* 2006; 367:1487-1494.
- ⁽¹¹⁾ Lawn JE, Wilczynska-Ketende K, Cousens SN. Estimating the causes of 4 million neonatal deaths in the year 2000. *Int J Epidemiol* 2006; 35(3):706-718.
- ⁽¹²⁾ Bryce J, Boschi-Pinto C, Shibuya K, Black RE. WHO estimates of the causes of death in children. *Lancet* 2005; 365:1147-1152.
- ⁽¹³⁾ WHO. *World Health Report 2005: make every mother and child count*. 2005. Geneva, Switzerland: World Health Organization.
- ⁽¹⁴⁾ Yasmin S, Osrin D, Paul E, Costello A. Neonatal mortality of low-birth-weight infants in Bangladesh. *Bull World Health Organ* 2001; 79(7):608-614.
- ⁽¹⁵⁾ ter Kuile FO, Parise ME, Verhoeff FH, Udhayakumar V, Newman RD, van Eijk AM et al. The burden of co-infection with human immunodeficiency virus type 1 and malaria in pregnant women in sub-Saharan Africa. *Am J Trop Med Hyg* 2004; 71(2 Suppl):41-54.
- ⁽¹⁶⁾ Ulizzi L, Zonta LA. Sex ratio and selection by early mortality in humans: fifty-year analysis in different ethnic groups. *Human Biology* 1994; 66(6):1037-1048.
- ⁽¹⁷⁾ Nielsen BB, Liljestrand J, Hedegaard M, Thilsted SH, Joseph A. Reproductive pattern, perinatal mortality, and sex preference in rural Tamil Nadu, south India: community based, cross sectional study. *BMJ* 1997; 314:1521-1524.
- ⁽¹⁸⁾ Baiden F, Hodgson A, Adjuik M, Adongo P, Ayaga B, Binka F. Trend and causes of neonatal mortality in the Kassena-Nankana district of northern Ghana, 1995-2002. *Trop Med Int Health* 2006; 11(4):532-539.
- ⁽¹⁹⁾ Greenwood AM, Greenwood BM, Bradley AK, Williams K, Shenton FC, Tulloch S et al. A prospective survey of the outcome of pregnancy in a rural area of the Gambia. *Bull World Health Organ* 1987; 65(5):635-643.
- ⁽²⁰⁾ Confirmation of the elimination of neonatal tetanus in Togo by lot quality assurance-cluster sampling. *Wkly Epidemiol Rec* 2006; 81(4):34-39.
- ⁽²¹⁾ Lawn JE, Shibuya K, Stein C. No cry: Global estimates of intrapartum-related stillbirths and neonatal deaths. *Bull World Health Organ* 2005; 83(6):409-417.
- ⁽²²⁾ Thompson CM, Puterman AS, Linley LL, Hann FM, van der Elst CW, Molteno CD et al. The value of a scoring system for hypoxic ischaemic encephalopathy in predicting neurodevelopmental outcome. *Acta Paediatr* 1997; 86(7):757-761.
- ⁽²³⁾ Lim S, Adam T, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331(7525):1107.
- ⁽²⁴⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365(9463):977-988.
- ⁽²⁵⁾ Lawn JE, Wilczynska-Ketende K, Cousens SN. Estimating the causes of 4 million neonatal deaths in the year 2000. *Int J Epidemiol* 2006; 35(3):706-718.
- ⁽²⁶⁾ Bryce J, Black RE, Walker N, Bhutta ZA, Lawn JE, Steketee RW. Can the world afford to save the lives of 6 million children each year? *Lancet* 2005; 365:2193-2200.

- ⁽²⁷⁾ Barlow JL, Mung'ala-Odera V, Gona J, Newton CR. Brain damage after neonatal tetanus in a rural Kenyan hospital. *Trop Med Int Health* 2001; 6(4):305-308.
- ⁽²⁸⁾ Barker DJ. The developmental origins of chronic adult disease. *Acta Paediatr Suppl* 2004; 93(446):26-33.
- ⁽²⁹⁾ Edmond KM, Zandoh C, Quigley MA, Munga-Etego S, Owusu-Agyei S, Kirkwood BR. Delayed breastfeeding initiation increases risk of neonatal mortality. *Pediatrics* 2006; 117(3):e380-e386.
- ⁽³⁰⁾ Powell-Jackson T, Borghi J, Mueller DH, Patouillard E, Mills A. Countdown to 2015: tracking donor assistance to maternal, newborn, and child health. *Lancet* 2006; 368:1077-1087.

Section II - La continuité des soins pour la santé maternelle, néonatale et infantile

- ⁽¹⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽²⁾ WHO. *World Health Report 2005: make every mother and child count*. 2005. Geneva, Switzerland: World Health Organization.
- ⁽³⁾ Li XF, Fortney JA, Kotelchuck M, Glover LH. The postpartum period: the key to maternal mortality. *Int J Gynaecol Obstet* 1996; 54(1):1-10.
- ⁽⁴⁾ Adam T, Lim SS, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331:1107.
- ⁽⁵⁾ World Bank. *World development report 2007: development and the next generation*. 2006. Forthcoming.
- ⁽⁶⁾ PMNCH. *Conceptual and institutional framework for the Partnership for Maternal, Newborn and Child Health (PMNCH)*. 2006.
- ⁽⁷⁾ de Graft-Johnson J, Daly P, Otchere S, Russell N, Bell R. Household to home continuum of maternal and newborn care. 2005. Baltimore, Maryland: The ACCESS Program, JHPIEGO.
- ⁽⁸⁾ Tinker A, Hoopes-Bender P, Azfar S, Bustreo F, Bell R. A continuum of care to save newborn lives. *Lancet* 2005; 365:822-825.
- ⁽⁹⁾ WHO. Policy brief one: integrating maternal, newborn and child health programmes. *World Health Report 2005: make every mother and child count*. Geneva, Switzerland: World Health Organization; 2005.
- ⁽¹⁰⁾ Jones G, Steketee RW, Black RE, Bhutta ZA, Morris SS. How many child deaths can we prevent this year? *Lancet* 2003; 362(9377):65-71.
- ⁽¹¹⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365:977-988.
- ⁽¹²⁾ Campbell O, Graham WJ. Strategies for reducing maternal mortality: getting on with what works. *Lancet* 2006. In press.
- ⁽¹³⁾ Knippenberg R, Lawn JE, Darmstadt GL, Begkoyian G, Fogstad H, Waleign N et al. Systematic scaling up of neonatal care in countries. *Lancet* 2005; 365(9464):1087-1098.
- ⁽¹⁴⁾ Lawn JE, Zupan J, Begkoyian G, Knippenberg R. *Newborn Survival*. In: Jamison D, Measham A, editors. *Disease Control Priorities*. 2 ed. 2006. The World Bank and the National Institutes of Health.
- ⁽¹⁵⁾ Rutstein SO. Effects of preceding birth intervals on neonatal, infant and under-five years mortality and nutritional status in developing countries: evidence from the Demographic and Health Surveys. *Int J Gynaecol Obstet* 2005; Suppl. 1:S7-S24.
- ⁽¹⁶⁾ WHO. Report of a WHO technical consultation on birth spacing. Geneva, Switzerland. 13-15 June 2005. 2006. World Health Organization.
- ⁽¹⁷⁾ Gamble C, Ekwari JP, ter Kuile FO. Insecticide-treated nets for preventing malaria in pregnancy. *Cochrane Database Syst Rev* 2006; 2(CD003755).
- ⁽¹⁸⁾ Lawn JE, Cousens S, Darmstadt GL, Martines J, Paul V, Bhutta Z et al. The Executive Summary of The Lancet Neonatal Survival Series. 2005.
- ⁽¹⁹⁾ World Bank. *The world development report 2004: making services work for the poor*. 2004. Washington, DC: The World Bank.
- ⁽²⁰⁾ Bryce J, Black RE, Walker N, Bhutta ZA, Lawn JE, Steketee RW. Can the world afford to save the lives of 6 million children each year? *Lancet* 2005; 365:2193-2200.
- ⁽²¹⁾ Adam T, Lim SS, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331:1107.

Section III Chapitre I - Soins pour les filles et les femmes avant la grossesse

- ⁽²²⁾ Martines J, Paul VK, Bhutta ZA, Koblinsky M, Soucat A, Walker N et al. Neonatal survival: a call for action. *Lancet* 2005; 365:1189-1197.
- ⁽²³⁾ Darmstadt GL, Cousens S, Walker D, Lawn JE, Bhutta ZA, Haws RA. Increasing resources to save newborn lives. 2006.
- ⁽²⁴⁾ WHO. World Health Report 2006: working together for health. 2006. Geneva, Switzerland: World Health Organization.
- ⁽²⁵⁾ Lawn JE, Tinker A, Munjanja S, Cousens S. Where is maternal and child health now? *Lancet* 2006; Published online September 28, 2006. (<http://download.thelancet.com/pdfs/journals/0140-6736/PIIS0140673606693872.pdf>)
- ⁽²⁶⁾ UNICEF. State of the World's Children 2006. 2005. New York: United Nations Children's Fund.
- ⁽²⁷⁾ Gwatkin D, Bhuiya A, Victoria CG. Making Health Systems More Equitable. *Lancet* 2004;(364):1273-1290.
- ⁽²⁸⁾ Victora CG, Wagstaff A, Schellenberg JA, Gwatkin D, Claeson M, Habicht JP. Applying an equity lens to child health and mortality: more of the same is not enough. *Lancet* 2003; 362:233-241.
- ⁽²⁹⁾ Victora CG, Fenn DB, Bryce J, Kirkwood BR. Co-coverage of preventive interventions and implications for child-survival strategies: evidence from national surveys. *Lancet* 2005; 366:1460-1466.
- ⁽³⁰⁾ Population Reference Bureau. 2006 World Population Datasheet. 2006. Washington, DC, Population Reference Bureau.
- ⁽³¹⁾ UNFPA. State of the world's population 2005. 2005. United Nations Population Fund.
- ⁽³²⁾ Gloyd S, Chai S, Mercer MA. Antenatal syphilis in sub-Saharan Africa: missed opportunities for mortality reduction. *Health Policy Plan* 2001; 16(1):29-34.
- ⁽³³⁾ Bhutta ZA, Darmstadt GL, Hasan BS, Haws RA. Community-based interventions for improving perinatal and neonatal health outcomes in developing countries: a review of the evidence. *Pediatrics* 2005; 115(2 Suppl):519-617.
- ⁽³⁴⁾ Confirmation of the elimination of neonatal tetanus in Togo by lot quality assurance-cluster sampling. *Wkly Epidemiol Rec* 2006; 81(4):34-39.
- ⁽³⁵⁾ Lovich R, Rubardt M, Fagan D, Powers M. Partnership defined quality: a tool book for community and health provider collaboration for quality improvement. 1996. Washington, DC, Save the Children.
- ⁽³⁶⁾ Haines A, Saunders D, Rowe AK, Lawn JE, Jan S, Walker D et al. Achieving child survival goals: potential contribution of community health workers. 2006. *The Lancet*. In press.
- ⁽³⁷⁾ Manandhar DS, Osrin D, Shrestha BP, Mesko N, Morrison J, Tumbahangphe KM et al. Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. *Lancet* 2004; 364:970-979.
- ⁽³⁸⁾ O'Rourke K, Howard-Grabman L, Seoane G. Impact of community organization of women on perinatal outcomes in rural Bolivia. *Rev Panam Salud Publica* 1998; 3(1):9-14.
- ⁽³⁹⁾ Gonzales F, Arteaga E, Howard-Grabman L. Scaling up the Warmi project: lessons learned, mobilizing Bolivian communities around reproductive health. 1998. Washington, DC: Save the Children.
- ⁽⁴⁰⁾ Sazawal S, Black RE. Effect of pneumonia case management on mortality in neonates, infants, and preschool children: a meta-analysis of community-based trials. *Lancet Infect Dis* 2003; 3(9):547-556.
- ⁽⁴¹⁾ Darmstadt GL, Kumar V, Yadav R, Singh V, Singh P, Mohanty S et al. Introduction of community-based skin-to-skin care in rural Uttar Pradesh, India. *J Perinatol* 2006.
- ⁽⁴²⁾ Bang AT, Bang RA, Baitule SB, Reddy MH, Deshmukh MD. Effect of home-based neonatal care and management of sepsis on neonatal mortality: field trial in rural India. *Lancet* 1999; 354:1955-1961.
- ⁽⁴³⁾ UNICEF. Child survival. 2006. (http://www.unicef.org/health/index_childsurvival.html. Accessed 8 August 2006).
- ⁽⁴⁴⁾ WHO. Beyond the numbers: Reviewing maternal deaths and complications to make pregnancy safer. 2004. Geneva, Switzerland: World Health Organization.
- ⁽⁴⁵⁾ Pattinson RC. Challenges in saving babies – avoidable factors, missed opportunities and substandard care in perinatal deaths in South Africa. *S Afr Med J* 2003; 93(6):450-455.
- ⁽⁴⁶⁾ Save the Mothers. The Kiboga Safe Motherhood Initiative: A joint initiative between The Association of Obstetricians and Gynaecologists of Uganda and The Society of Obstetricians and Gynaecologists of Canada. 2003.
- ⁽⁴⁷⁾ WHO. Dual protection against unwanted pregnancy and sexually transmitted infections, including HIV. Joint WHO/UNAIDS/UNFPA policy statement. 2000. Geneva, Switzerland: World Health Organization.
- ⁽⁴⁸⁾ Save the Children. State of the World's Mothers 2005: the promise and power of girls' education. 2005. Washington, DC: Save the Children.
- ⁽⁴⁹⁾ Banks E, Meirik O, Farley T, Akande O, Bathija H, Ali M. Female genital mutilation and obstetric outcome: WHO collaborative prospective study in six African countries. *Lancet* 2006; 367:1835-1841.
- ⁽⁵⁰⁾ Save the Children. State of the World's Mothers 2004: children having children. 2004. Washington, DC: Save the Children.
- ⁽⁵¹⁾ Conde-Agudelo A, Belizan JM, Lammers C. Maternal-perinatal morbidity and mortality associated with adolescent pregnancy in Latin America: Cross-sectional study. *Am J Obstet Gynecol* 2005; 192(2):342-349.
- ⁽⁵²⁾ Pojda J, Kelley LM, editors. Low Birth Weight: Report of a meeting. Geneva, Switzerland: ACC/SCN in collaboration with ICCDR; 2000.
- ⁽⁵³⁾ Ceesay SM, Prentice AM, Cole TJ, Foord F, Weaver LT, Poskitt EM et al. Effects on birth weight and perinatal mortality of maternal dietary supplements in rural Gambia: 5 year randomised controlled trial. *BMJ* 1997; 315:786-790.
- ⁽⁵⁴⁾ UNFPA. State of the World's Population 2005. United Nations Population Fund; 2005.
- ⁽⁵⁵⁾ Basu AM, Stephenson R. Low levels of maternal education and the proximate determinants of childhood mortality: a little learning is not a dangerous thing. *Soc Sci Med* 2005; 60(9):2011-2023.
- ⁽⁵⁶⁾ Save the Children. State of the World's Mothers 2006: Saving the lives of mothers and newborns. 2006. Washington, DC: Save the Children.
- ⁽⁵⁷⁾ WHO. Neonatal mortality: regional, country and global estimates. 2006. Geneva, Switzerland: World Health Organization.
- ⁽⁵⁸⁾ UNICEF. State of the World's Children 2006. New York: UNICEF; 2005.
- ⁽⁵⁹⁾ WHO. The Jakarta Declaration on Leading Health Promotion into the 21st Century. Fourth International Conference on Health Promotion. Jakarta: World Health Organization (www.who.int/hpr/NPH/docs/jakarta_declaration_en.pdf, accessed 15 September 2006); 1997.
- ⁽⁶⁰⁾ Wallerstein N. What is the evidence on effectiveness of empowerment to improve health? 2006. Copenhagen, WHO Regional Office for Europe (Health Evidence Network report; <http://www.euro.who.int/Document/E88086.pdf>, accessed 15 September 2006).
- ⁽⁶¹⁾ Pathfinder International. Creating partnerships to prevent early marriage in the Amhara region. 2006.
- ⁽⁶²⁾ Population Reference Bureau. 2006 World Population Datasheet. 2006. Washington, DC: Population Reference Bureau.
- ⁽⁶³⁾ Population Reference Bureau. The World's Youth. BRIDGE Project; 2006.
- ⁽⁶⁴⁾ The Alan Guttmacher Institute. Into a New World: Young Women's Sexual and Reproductive Lives. 1998. New York: Alan Guttmacher Institute.
- ⁽⁶⁵⁾ Ross JA, Winfrey W. Contraceptive Use, Intention to Use and Unmet Need During the Extended Post-Partum Period. *International Family Planning Perspectives* 2001; 27(1).
- ⁽⁶⁶⁾ WHO. Report of a WHO technical consultation on birth spacing. Geneva, Switzerland. 13-15 June 2005. 2006. Geneva, Switzerland: World Health Organization.
- ⁽⁶⁷⁾ Conde-Agudelo A, Rosas-Bermudez A, Kafury-Goeta AC. Birth spacing and risk of adverse perinatal outcomes: a meta-analysis. *JAMA* 2006; 295(15):1809-1823.
- ⁽⁶⁸⁾ Conde-Agudelo A, Belizan JM, Berman R, Brockman SC, Rosas-Bermudez A. Effect of the interpregnancy interval after an abortion on maternal and perinatal health in Latin America. *Int J Gynaecol Obstet* 2005; 89 Suppl 1:S34-S40.
- ⁽⁶⁹⁾ Rutstein SO. Effects of preceding birth intervals on neonatal, infant and under-five years mortality and nutritional status in developing countries: evidence from the demographic and health surveys. *Int J Gynaecol Obstet* 2005; 89 Suppl 1:S7-24. Epub; 2005 Jan 26.:S7-24.
- ⁽⁷⁰⁾ UNICEF Facts for life. 3 ed. New York: United Nations Children's Fund (<http://www.unicef.org/fll/text.htm>); 2002.
- ⁽⁷¹⁾ WHO, UNFPA. Pregnant adolescents: delivering on global promises of hope. 2006. Geneva, World Health Organization.
- ⁽⁷²⁾ Fuchs N. Priorities for Family Planning and HIV/AIDS Integration. (<http://www.maqweb.org/techbriefs/tb11integration.shtml>, accessed 17 August 2006).

- ⁽²⁷⁾ King R, Estey J, Allen S, Kegeles S, Wolf W, Valentine C et al. A family planning intervention to reduce vertical transmission of HIV in Rwanda. *AIDS* 1995; 9 Suppl 1:S45-S51.
- ⁽²⁸⁾ Stover J, Dougherty L, Hamilton M. Are cost savings incurred by offering family planning services at emergency plan HIV/AIDS care and treatment facilities? USAID/Policy Project; 2006.
- ⁽²⁹⁾ Palmer N, Mueller DH, Gilson L, Mills A, Haines A. Health financing to promote access in low income settings-how much do we know? *Lancet* 2004; 364:1365-1370.
- ⁽³⁰⁾ Center for Research on Environment, Health, and Population Activities (CREHPA). Determining an effective and replicable communication-based mechanism for improving young couples' access to and use of reproductive health information and services in Nepal – an operations research study. 2004. USAID (http://www.popcouncil.org/pdfs/frontiers/FR_FinalReports/Nepal_Small%20Grant.pdf, accessed 17 August 2006.)

Section III Chapitre 2 - Soins prénatals

- ⁽¹⁾ WHO. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽²⁾ Khan KS, Wojdyla D, Say L, Gulmezoglu AM, Van Look PF. WHO analysis of causes of maternal death: a systematic review. *Lancet* 2006; 367:1066-1074.
- ⁽³⁾ De Bernis L, Dumont A, Bouillin D, Gueye A, Dompnier JP, Bouvier-Colle MH. Maternal morbidity and mortality in two different populations of Senegal: a prospective study (MOMA survey). *BJOG* 2000; 107(1):68-74.
- ⁽⁴⁾ Banks E, Meirik O, Farley T, Akande O, Bathija H, Ali M. Female genital mutilation and obstetric outcome: WHO collaborative prospective study in six African countries. *Lancet* 2006; 367:1835-1841.
- ⁽⁵⁾ Ryan D, Milis L, Misri N. Depression during pregnancy. *Can Fam Physician* 2005; 51:1087-1093.
- ⁽⁶⁾ Lawn JE, Shibuya K, Stein C. No cry: Global estimates of intrapartum-related stillbirths and neonatal deaths. *Bull World Health Organ* 2005; 83(6):409-417.
- ⁽⁷⁾ WHO. Perinatal and neonatal mortality for the year 2000: Country, regional and global estimates. 2006. Geneva, Switzerland: World Health Organization.
- ⁽⁸⁾ Stanton C, Lawn JE, Rahman H, Wilczynska-Ketende K, Hill K. Stillbirth rates: delivering estimates in 190 countries. *Lancet* 2006; 367:1487-1494.
- ⁽⁹⁾ Tinker A, Hoopes-Bender P, Azfar S, Bustreo F, Bell R. A continuum of care to save newborn lives. *Lancet* 2005; 365:822-825.
- ⁽¹⁰⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365(9463):977-988.
- ⁽¹¹⁾ Adam T, Lim SS, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331(7525):1107.
- ⁽¹²⁾ Stanton C, Blanc AK, Croft T, Choi Y. Skilled care at birth in the developing world: progress to date and strategies for expanding coverage. *J Biosoc Sci* 2006;1-12.
- ⁽¹³⁾ Carroli G, Villar J, Piaggio G, Khan-Neelofur D, Gulmezoglu M, Mugford M et al. WHO systematic review of randomised controlled trials of routine antenatal care. *Lancet* 2001; 357:1565-1570.
- ⁽¹⁴⁾ Langer A, Nigenda G, Romero M, Rojas G, Kuchaisit C, Al-Osimi M et al. Conceptual bases and methodology for the evaluation of women's and providers' perception of the quality of antenatal care in the WHO Antenatal Care Randomised Controlled Trial. *Paediatr Perinat Epidemiol* 1998; 12 Suppl 2:98-115.
- ⁽¹⁵⁾ ACCESS Program. Focused antenatal care: providing integrated, individualized care during pregnancy (Draft technical brief). 2006.
- ⁽¹⁶⁾ WHO. Standards for maternal and neonatal care. Provision of effective antenatal care. 2006. Geneva, Switzerland: World Health Organization. (http://www.who.int/making_pregnancy_safer/publications/Standards1.6N.pdf. Accessed 23 October 2006)
- ⁽¹⁷⁾ Villar J, Baaqel H, Piaggio G, Lumbiganon P, Miguel Belizan J, Farnot U et al. WHO antenatal care randomized trial for the evaluation of a new model of routine antenatal care. *Lancet* 2001; 357:1551-1564.
- ⁽¹⁸⁾ Munjanja SP, Lindmark G, Nystrom L. Randomised controlled trial of a reduced-visits programme of antenatal care in Harare, Zimbabwe. *Lancet* 1996; 348:364-369.
- ⁽¹⁹⁾ von Both C, Flessa S, Makuwani A, Mpembeni R, Jahn A. How much time do health services spend on antenatal care? Implications for the introduction of the focused antenatal care model in Tanzania. *BMC Pregnancy Childbirth* 2006; 6(1):22.
- ⁽²⁰⁾ WHO. Pregnancy, Childbirth, Postpartum and Newborn Care: A guide for essential practice. 2003. Geneva, Switzerland: World Health Organization. Integrated Management of Pregnancy and Childbirth (IMPAC).

- ⁽²¹⁾ Homer CS, Davis GK, Everitt LS. The introduction of a woman-held record into a hospital antenatal clinic: the bring your own records study. *Aust N Z J Obstet Gynaecol* 1999; 39(1):54-57.
- ⁽²²⁾ Brown HC, Smith HJ. Giving women their own case notes to carry during pregnancy. *Cochrane Database Syst Rev* 2004;(2):CD002856.
- ⁽²³⁾ Manandhar DS, Osrin D, Shrestha BP, Mesko N, Morrison J, Tumbahangphe KM et al. Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. *Lancet* 2004; 364:970-979.
- ⁽²⁴⁾ UNICEF. State of the World's Children 2006. 2005. New York: United Nations Children's Fund.
- ⁽²⁵⁾ Population Reference Bureau. The Wealth Gap in Health. 2004. Washington, DC: Population Reference Bureau.
- ⁽²⁶⁾ UNICEF. Antenatal care. 2006. (<http://www.childinfo.org/areas/antenatal/>. Accessed 10 September 2006.)
- ⁽²⁷⁾ Manongi RN, Marchant TC, Bygbjerg IC. Improving motivation among primary health care workers in Tanzania: a health worker perspective. *Hum Resour Health* 2006; 4:6.
- ⁽²⁸⁾ Save the Children. An unnecessary evil? User fees for healthcare in low-income countries. 2005. London: Save the Children UK.
- ⁽²⁹⁾ Hodnett ED et al. Continuous support for women during childbirth. (Cochrane Review) In the Cochrane Library, Issue 1, 2005. Chichester, John Wiley & Sons.
- ⁽³⁰⁾ Schmid G. Economic and programmatic aspects of congenital syphilis prevention. *Bull World Health Organ* 2004; 82(6):402-409.
- ⁽³¹⁾ Site assessment and strengthening for maternal and newborn health programs. Blouse A, Gomez P, Kinzie B, editors. 2004. Baltimore, Maryland: JHPIEGO.

Section III Chapitre 3 - Soins à l'accouchement

- ⁽¹⁾ Li XF, Fortney JA, Kotelchuck M, Glover LH. The postpartum period: the key to maternal mortality. *Int J Gynaecol Obstet* 1996; 54(1):1-10.
- ⁽²⁾ Khan KS, Wojdyla D, Say L, Gulmezoglu AM, Van Look PF. WHO analysis of causes of maternal death: a systematic review. *Lancet* 2006; 367:1066-1074.
- ⁽³⁾ Borghi J, Hanson K, Acquah CA, Ekanmian G, Filippi V, Ronsmans C et al. Costs of near-miss obstetric complications for women and their families in Benin and Ghana. *Health Policy Plan* 2003; 18(4):383-390.
- ⁽⁴⁾ 2005 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. Part 7: Neonatal resuscitation. *Resuscitation* 2005; 67(2-3):293-303.
- ⁽⁵⁾ Thaddeus S, Maine D. Too far to walk: maternal mortality in context. *Social Science and Medicine* 1994; 38(8):1091-1110.
- ⁽⁶⁾ Pattinson R, Woods D, Greenfield D, Velaphi S. Improving survival rates of newborn infants in South Africa. *Reprod Health* 2005; 2(1):4.
- ⁽⁷⁾ Pattinson RC. Why babies die – a perinatal care survey of South Africa, 2000-2002. *S Afr Med J* 2003; 93(6):445-450.
- ⁽⁸⁾ WHO. Policy brief one: integrating maternal, newborn and child health programmes. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽⁹⁾ Making Pregnancy Safer. The critical roles of the skilled attendant: a joint statement by WHO, ICM and FIGO. 2004. Geneva, Switzerland: World Health Organization (WHO).
- ⁽¹⁰⁾ Opiyo N, English M. Newborn resuscitation: defining best practice for low income settings. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 2006; 100:899-908.
- ⁽¹¹⁾ Saugstad OD. Resuscitation of newborn infants with room air or oxygen. *Semin Neonatol* 2001; 6(3):233-239.
- ⁽¹²⁾ Mahomed K, Nyoni R, Mlambo T, Jacobus E, Kasule J. Intrapartum foetal heart rate monitoring-continuous electronic versus intermittent doppler – a randomised controlled trial. *Cent Afr J Med* 1992; 38(12):458-462.
- ⁽¹³⁾ Buchmann EJ, Pattinson RC, Nyathikazi N. Intrapartum-related birth asphyxia in South Africa – lessons from the first national perinatal care survey. *S Afr Med J* 2002; 92(11):897-901.
- ⁽¹⁴⁾ WHO. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽¹⁵⁾ UNICEF, UNFPA, WHO. Guidelines for monitoring the availability and use of obstetric services. 1997. New York: United Nations Children's Fund.
- ⁽¹⁶⁾ WHO. Technical consultation on guidelines for monitoring the availability and use of obstetric services, summary report. 20-22 June 2006. Geneva, WHO Department of Reproductive Health and Research in collaboration with UNFPA, UNICEF and AMDD.

- ⁽¹⁷⁾ WHO. *Pregnancy, Childbirth, Postpartum and Newborn Care: A guide for essential practice*. 2003. Geneva, Switzerland: WHO, Integrated Management of Pregnancy and Childbirth (IMPAC).
- ⁽¹⁸⁾ Peterson S, Nsungwa-Sabiiti J, Were W, Nsabagasani X, Magumba G, Namboze J et al. Coping with paediatric referral – Ugandan parents' experience. *Lancet* 2004; 363:1955-1956.
- ⁽¹⁹⁾ Lawn JE, Zupan J, Begkoyian G, Knippenberg R. *Newborn Survival*. In: Jamison D, Measham A, editors. *Disease Control Priorities*. 2 ed. The World Bank and the National Institutes of Health; 2005.
- ⁽²⁰⁾ Bang AT, Bang RA, Baitule SB, Reddy MH, Deshmukh MD. Effect of home-based neonatal care and management of sepsis on neonatal mortality: field trial in rural India. *Lancet* 1999; 354:1955-1961.
- ⁽²¹⁾ Bhutta ZA, Darmstadt GL, Hasan BS, Haws RA. Community-based interventions for improving perinatal and neonatal health outcomes in developing countries: a review of the evidence. *Pediatrics* 2005; 115(2 Suppl):519-617.
- ⁽²²⁾ Knippenberg R, Lawn JE, Darmstadt GL, Begkoyian G, Fogstad H, Walelign N et al. Systematic scaling up of neonatal care in countries. *Lancet* 2005; 365:1087-1098.
- ⁽²³⁾ Borghi J, Ensor T, Somanathan A, Lissner C, Mills A. Mobilising financial resources for maternal health. *Lancet* 2006; published online Sept 28. DOI:10.1016/S0140-6736(06)69383-5.
- ⁽²⁴⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: when? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽²⁵⁾ Buekens P, Curtis S, Alayon S. Demographic and Health Surveys: caesarean section rates in sub-Saharan Africa. *BMJ* 2003; 326:136.
- ⁽²⁶⁾ UNICEF. *State of the World's Children 2006*. 2005. New York: United Nations Children's Fund.
- ⁽²⁷⁾ WHO. *World Health Report 2006: working together for health*. 2006. Geneva, Switzerland: World Health Organization.
- ⁽²⁸⁾ Da Luz Vaz M, Bergstrom S. Mozambique – delegation of responsibility in the area of maternal care. *Int J Gynaecol Obstet* 1992; 38 Suppl:S37-9.:S37-S39.
- ⁽²⁹⁾ Lim S, Adam T, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331:1107.
- ⁽³⁰⁾ Koblinsky M, Matthews Z, Hussein J, et al. Going to scale with professional skilled care. *Lancet* 2006; published online Sept 28. DOI:10.1016/S0140-6736(06)69382-3.
- ⁽³¹⁾ Gottret PB, Schieber G. *Health financing revisited: a practitioner's guide*. 2006. Washington, DC: World Bank.
- ⁽³²⁾ Meessen B, Musango L, Khasha JP, Lemlin J. Reviewing institutions of rural health centres: the Performance Initiative in Butare, Rwanda. *Trop Med Int Health* 2006; 11(8):1303-1317.
- ⁽³³⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365:977-988.
- ⁽³⁴⁾ Manandhar DS, Osrin D, Shrestha BP, Mesko N, Morrison J, Tumbahangphe KM et al. Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. *Lancet* 2004; 364:970-979.
- ⁽³⁵⁾ Ahluwalia I, Kouletio M, Curtis K, Schmid T. Community empowerment: CDC collaboration with the CARE community-based reproductive health project in two districts in Tanzania. *J Womens Health Gender-based Med* 1999; 8:1015-1019.
- ⁽³⁶⁾ WHO. *Maternity waiting homes: a review of experiences*. 1996. Geneva, Switzerland: World Health Organization. (WHO/RHT/MSM/96.21)
- ⁽³⁷⁾ Chandramohan D, Cutts F, Millard P. The effect of stay in a maternity waiting home on perinatal mortality in rural Zimbabwe. *J Trop Med Hyg* 1995; 98(4):261-267.
- ⁽³⁸⁾ Walker D, McDermott JM, Fox-Rushby J, Tanjung M, Nadjib M, Widiatmoko D et al. An economic analysis of midwifery training programmes in South Kalimantan, Indonesia. *Bull World Health Organ* 2002; 80(1):47-55.
- ⁽³⁹⁾ Warren C. *Repositioning Postpartum Care in Kenya*. 2005. Nairobi, Kenya: Population Council.
- ⁽⁴⁰⁾ Janowitz B, Wallace S, Araujo G, Araujo L. Referrals by traditional birth attendants in northeast Brazil. *Am J Public Health* 1985; 75(7):745-748.
- ⁽⁴¹⁾ Janowitz B, Bailey P, Dominik RC, Araujo L. TBAs in Northeast Brazil: referral patterns and perinatal mortality. *Health Policy and Planning* 1988; 3(1):48-58.
- ⁽⁴²⁾ Tracking progress in child survival countdown to 2015. 2005. (<http://www.childsurvivalcountdown.com>. Accessed 10 October 2006)
- ⁽⁴³⁾ WHO. *Reproductive health indicators – guidelines for their generation, interpretation and analysis for global monitoring*. 2006. Geneva, Switzerland: World Health Organization.
- ⁽⁴⁴⁾ Beck D, Ganges F, Goldman S, Long P. *Care of the newborn: reference manual*. 2004. Save the Children.
- ⁽⁴⁵⁾ WHO. *Beyond the numbers: Reviewing maternal deaths and complications to make pregnancy safer*. 2004. Geneva, Switzerland: World Health Organization.
- ⁽⁴⁶⁾ World Bank. *Making services work for poor people: world development report*. 2004. Washington, DC: TheWorld Bank.
- ⁽⁴⁷⁾ Kumar R. Effectiveness of training traditional birth attendants for management of asphyxia neonatorum using resuscitation equipment. *Prenatal and Neonatal Medicine* 1998; 3(2):225-260.

Section III Chapitre 4 - Soins postnatals

- ⁽¹⁾ Li XF, Fortney JA, Kotelchuck M, Glover LH. The postpartum period: the key to maternal mortality. *Int J Gynaecol Obstet* 1996; 54(1):1-10.
- ⁽²⁾ Khan KS, Wojdyla D, Say L, Gulmezoglu AM, Van Look PF. WHO analysis of causes of maternal death: a systematic review. *Lancet* 2006; 367:1066-1074.
- ⁽³⁾ European HIV in Obstetrics Group. Higher rates of post-partum complications in HIV-infected than in uninfected women irrespective of mode of delivery. *AIDS* 2004; 18(6):933-938.
- ⁽⁴⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽⁵⁾ Lawn JE, Wilczynska-Ketende K, Cousens SN. Estimating the causes of 4 million neonatal deaths in the year 2000. *Int J Epidemiol* 2006; 35(3):706-718.
- ⁽⁶⁾ Shisana O, Simbayi L. Nelson Mandela/HSRC Study of HIV/AIDS: South African National HIV Prevalence Behavioral Risks and Mass Media Household Survey. 2002. Cape Town, South Africa: Human Sciences Research Council.
- ⁽⁷⁾ WHO. *World Health Report 2005: make every mother and child count*. 2005. Geneva, Switzerland: World Health Organization.
- ⁽⁸⁾ Warren C. *Repositioning Postpartum Care in Kenya*. 2005. Nairobi, Kenya: Population Council.
- ⁽⁹⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365:977-988.
- ⁽¹⁰⁾ WHO. *Postpartum care of the mother and newborn: a practical guide*. Report of a technical working group. 1998. Geneva, Switzerland: World Health Organization. (WHO/RHT/MSM/98.3)
- ⁽¹¹⁾ WHO. *Pregnancy, Childbirth, Postpartum and Newborn Care: A guide for essential practice*. 2003. Geneva, Switzerland: WHO, Integrated Management of Pregnancy and Childbirth (IMPAC).
- ⁽¹²⁾ UNICEF. *Saving Newborn Lives/Save the Children – US. Strategic guidance note on the newborn (Draft)*. 2006.
- ⁽¹³⁾ Dragovich D, Tamburlini G, Alisjahbana A, Kambarani R, Karagulovala J, Lincetto O et al. Thermal control of the newborn: knowledge and practice of health professional in seven countries. *Acta Paediatr* 1997; 86(6):645-650.
- ⁽¹⁴⁾ Ross JA, Winfrey W. Contraceptive Use, Intention to use and unmet need during the extended post-partum period. *International Family Planning Perspectives* 2001; 27(1).
- ⁽¹⁵⁾ Rabinovitz LM, Landry E. Postpartum contraception: perspectives from clients and providers in six countries. *AVSC News* 1991; 29(4):3-4.
- ⁽¹⁶⁾ Joint WHO/UNAIDS/UNFPA statement: Dual protection against unwanted pregnancy and sexually transmitted infections, including HIV. 2000.
- ⁽¹⁷⁾ Grimes D, Schulz K, Van VH, Stanwood N. Immediate post-partum insertion of intrauterine devices: a Cochrane review. *Hum Reprod* 2002; 17(3):549-554.
- ⁽¹⁸⁾ WHO, UNICEF. *Antenatal care in developing countries: Promises, achievements and missed opportunities*. 2003. Geneva, Switzerland: World Health Organization.
- ⁽¹⁹⁾ Stanton C, Blanc AK, Croft T, Choi Y. Skilled care at birth in the developing world: progress to date and strategies for expanding coverage. *J Biosoc Sci* 2006; 1-12.
- ⁽²⁰⁾ Mohamed SA, Kamel MA, Shaaban OM, Salem HT. Acceptability for the use of postpartum intrauterine contraceptive devices: Assiut experience. *Med Princ Pract* 2003; 12(3):170-175.
- ⁽²¹⁾ Ransjo-Arvidson AB, Chintu K, Ng'andu N, Eriksson B, Susu B, Christensson K et al. Maternal and infant health problems after normal childbirth: a randomised controlled study in Zambia. *J Epidemiol Community Health* 1998; 52(6):385-391.
- ⁽²²⁾ Hundt GL, Beckerleg S, Kassem F, bu Jafar AM, Belmaker I, Abu SK et al. Women's health custom made: building on the 40 days postpartum for Arab women. *Health Care Women Int* 2000; 21(6):529-542.
- ⁽²³⁾ Koblinsky MA. Community-based postpartum care: An urgent unmet need. 2005. USAID, Catalyst Consortium.

- ⁽²⁴⁾ Bang AT, Reddy HM, Deshmukh MD, Baitule SB, Bang RA. Neonatal and infant mortality in the ten years (1993 to 2003) of the Gadchiroli field trial: effect of home-based neonatal care. *J Perinatol* 2005; 25 Suppl 1:S92-107.
- ⁽²⁵⁾ Bhutta ZA, Darmstadt GL, Hasan BS, Haws RA. Community-based interventions for improving perinatal and neonatal health outcomes in developing countries: a review of the evidence. *Pediatrics* 2005; 115(2 Suppl):519-617.
- ⁽²⁶⁾ Sazawal S, Black RE. Effect of pneumonia case management on mortality in neonates, infants, and preschool children: a meta-analysis of community-based trials. *Lancet Infect Dis* 2003; 3(9):547-556.
- ⁽²⁷⁾ Knippenberg R, Lawn JE, Darmstadt GL, Begkoyian G, Fogstad H, Waleign N et al. Systematic scaling up of neonatal care in countries. *Lancet* 2005; 365:1087-1098.
- ⁽²⁸⁾ Lim S, Adam T, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331:1107.
- ⁽²⁹⁾ Haines A, Saunders D, Rowe AK, Lawn JE, Jan S, Walker D et al. Achieving child survival goals: potential contribution of community health workers. *The Lancet*. In press 2006.
- ⁽³⁰⁾ Sibley L, Sipe TA, Koblinsky M. Does traditional birth attendant training improve referral of women with obstetric complications: a review of the evidence. *Soc Sci Med* 2004; 59(8):1757-1768.
- ⁽³¹⁾ Gennaro S, Dugyi E, Doud JM, Kershbaumer R. Health promotion for childbearing women in Rubanda, Uganda. *J Perinat Neonatal Nurs* 2002; 16(3):39-50.
- ⁽³²⁾ Doherty T, Chopra M, Nkonki L, Jackson D, Greiner T. Effect of the HIV epidemic on infant feeding in South Africa: "When they see me coming with the tins they laugh at me". *Bull World Health Organ* 2006; 84(2):90-96.
- ⁽³³⁾ Bulut A, Turan JM. Postpartum family planning and health needs of women of low income in Istanbul. *Stud Fam Plann* 1995; 26(2):88-100.
- ⁽³⁴⁾ WHO. World Health Report 2006: working together for health. 2006. Geneva, Switzerland: World Health Organization.
- ⁽³⁵⁾ Lugina HI, Lindmark G, Johansson E, Christensson K. Tanzanian midwives' views on becoming a good resource and support person for postpartum women. *Midwifery* 2001; 17(4):267-278.
- ⁽³⁶⁾ Schneider A. How quality improvement in health care can help to achieve the Millennium Development Goals. *Bull World Health Organ* 2006; 84(4):259.
- ⁽³⁷⁾ Neena Khadka. Increasing access to quality postnatal care: findings from PNC project in Nepal. 2005. Save the Children.
- ⁽³⁸⁾ Save the Children. State of the World's Mothers 2006: saving the lives of mothers and newborn. 2006. Washington, DC, Save the Children.
- ⁽³⁹⁾ Sibanda JQ, Saungweme I, Nleya C, Mutyambizi MP, Rutgers RA. Post natal care in Bubi district deserves more attention. *Cent Afr J Med* 2001; 47(4):103-108.
- ⁽⁴⁰⁾ Adinma JI, Agbai AO, Nwosu BO. Contraceptive choices among Nigerian women attending an antenatal clinic. *Adv Contracept* 1998; 14(2):131-145.
- ⁽⁴¹⁾ Horton R. The coming decade for global action on child health. *Lancet* 2006; 367:3-5.
- ⁽⁴²⁾ Tracking progress in child survival countdown to 2015. 2005. (<http://www.childsurvivalcountdown.com>. Accessed 10 October 2006)
- (6) Bryce J, Victora CG, Habicht JP, Vaughan JP, Black RE. The multi-country evaluation of the integrated management of childhood illness strategy: lessons for the evaluation of public health interventions. *Am J Public Health* 2004; 94(3):406-415.
- (7) Bryce J, Victora CG. Ten methodological lessons from the multi-country evaluation of Integrated Management of Childhood Illness. *Health Policy Plan* 2005; 20 Suppl 1:i94-i105.
- (8) Chopra M, Patel S, Cloete K, Sanders D, Peterson S. Effect of an IMCI intervention on quality of care across four districts in Cape Town, South Africa. *Arch Dis Child* 2005; 90(4):397-401.
- (9) Pariyo GW, Gouws E, Bryce J, Burnham G. Improving facility-based care for sick children in Uganda: training is not enough. *Health Policy Plan* 2005; 20 Suppl 1:i58-i68.
- (10) Amaral J, Gouws E, Bryce J, Leite AJ, Cunha AL, Victora CG. Effect of Integrated Management of Childhood Illness (IMCI) on health worker performance in Northeast-Brazil. *Cad Saude Publica* 2004; 20 Suppl 2:S209-S219.
- (11) Schellenberg JA, Victora CG, Mushi A, de Savigny D, Schellenberg D, Mshinda H et al. Inequities among the very poor: health care for children in rural southern Tanzania. *Lancet* 2003; 361:561-566.
- (12) Weber MW, Carlin JB, Gatchalian S, Lehmann D, Muhe L, Mulholland EK. Predictors of neonatal sepsis in developing countries. *Pediatr Infect Dis J* 2003; 22(8):711-717.
- (13) Weber M. Young infants II study group. Clinical predictors of severe illness in 0-6 and 7-59 day old infants. 2006.
- (14) Martinez J, Paul VK, Bhutta ZA, Koblinsky M, Soucat A, Walker N et al. Neonatal survival: a call for action. *Lancet* 2005; 365:1189-1197.
- (15) WHO. HIV and infant feeding: guidelines for decision makers. Geneva: World Health Organization. 2003.
- (16) WHO. HIV and infant feeding: a guide for health-care managers and supervisors. Geneva: World Health Organization. 2003.
- (17) Lucas J, Jitta J, Jones G, Wilczynska-Ketenda K. Implementing the household & community component of IMCI in the Eastern and Southern Region (ESAR): A state of the art review of the human rights based approach to programming in the context of accelerated child survival. New York: UNICEF; 2005.
- (18) Manandhar DS, Osrin D, Shrestha BP, Mesko N, Morrison J, Tumbahangphe KM et al. Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. *Lancet* 2004; 364:970-979.
- (19) Daga SR, Daga AS, Dighole RV, Patil RP. Anganwadi worker's participation in rural newborn care. *Indian J Pediatr* 1993; 60(5):627-630.
- (20) Sazawal S, Black RE. Effect of pneumonia case management on mortality in neonates, infants, and preschool children: a meta-analysis of community-based trials. *Lancet Infect Dis* 2003; 3(9):547-556.
- (21) Bang AT, Bang RA, Baitule SB, Reddy MH, Deshmukh MD. Effect of home-based neonatal care and management of sepsis on neonatal mortality: field trial in rural India. *Lancet* 1999; 354:1955-1961.
- (22) Adam T, Lim SS, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331:1107.
- (23) Sen A, Mahalanabis D, Singh AK, Som TK, Bandyopadhyay S. Development and effects of a neonatal care unit in rural India. *Lancet* 2005; 366:27-28.
- (24) WHO. Management of newborn problems: a guide for doctors, nurses and midwives. 2003. Geneva, WHO. Integrated Management of Pregnancy and Childbirth (IMPAC).
- (25) Conde-Agudelo A, Diaz-Rossello JL, Belizan JM. Kangaroo mother care to reduce morbidity and mortality in low birthweight infants. *Cochrane Database Syst Rev* 2000;(4):CD002771.
- (26) Armstrong Schellenberg JR, Adam T, Mshinda H, Masanja H, Kabadi G, Mukasa O et al. Effectiveness and cost of facility-based Integrated Management of Childhood Illness (IMCI) in Tanzania. *Lancet* 2004; 364:1583-1594.
- (27) Lawn JE, Cousens SN, Darmstadt GL, Bhutta ZA, Martinez J, Paul V et al. 1 year after The Lancet Neonatal Survival Series--was the call for action heard? *Lancet* 2006; 367:1541-1547.

Section III Chapitre 5 - Prise en charge intégrée des maladies de l'enfance (PCIME)

- (1) Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365:977-988.
- (2) UNICEF. State of the World's Children 2006. New York: The United Nations Children's Fund (UNICEF); 2005.
- (3) Armstrong SJ, Bryce J, de Savigny D, Lambrechts T, Mbuya C, Mgalula L et al. The effect of Integrated Management of Childhood Illness on observed quality of care of under-fives in rural Tanzania. *Health Policy Plan* 2004; 19(1):1-10.
- (4) el Arifeen S, Blum LS, Hoque DM, Chowdhury EK, Khan R, Black RE et al. Integrated Management of Childhood Illness (IMCI) in Bangladesh: early findings from a cluster-randomised study. *Lancet* 2004; 364(9445):1595-1602.
- (5) Bryce J, Victora CG, Habicht JP, Black RE, Scherpbier RW. Programmatic pathways to child survival: results of a multi-country evaluation of Integrated Management of Childhood Illness. *Health Policy Plan* 2005; 20 Suppl 1:i5-i17.

Section III Chapitre 6 - Promotion de la nutrition

- ⁽¹⁾ Huffman SL, Zehner ER, Harvey P, Martin L. Essential health sector actions to improve maternal nutrition in Africa. 2001. Regional Centre for Quality of Care and LINKAGES Project. Washington, DC: Academy for Educational Development.
- ⁽²⁾ Mason J, Bailes A, Beda-Andourou M, Copeland N, Curtis T, Deitchler M et al. Recent trends in malnutrition in developing regions: vitamin A deficiency, anemia, iodine deficiency, and child underweight. *Food Nutr Bull* 2005; 26(1):59-108.
- ⁽³⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽⁴⁾ Berkman DS, Lescano AG, Gilman RH, Lopez SL, Black MM. Effects of stunting, diarrhoeal disease, and parasitic infection during infancy on cognition in late childhood: a follow-up study. *Lancet* 2002; 359:564-571.
- ⁽⁵⁾ de Onis M, Frongillo EA, Blossner M. Is malnutrition declining? An analysis of changes in levels of child malnutrition since 1980. *Bull World Health Organ* 2000; 78(10):1222-1233.
- ⁽⁶⁾ UNICEF. State of the World's Children 2006. 2005. New York: United Nations Children's Fund.
- ⁽⁷⁾ de Onis M, Blössner M, Borghi E, Frongillo EA, Morris R. Estimates of global prevalence of childhood underweight in 1990 and 2015. *JAMA* 2004; 291(21):2600-2606.
- ⁽⁸⁾ Stoltzfus R, Mullany L, Black R. Iron deficiency anemia. In: Ezzati M, Lopez A, Rodgers A, Murray C, editors. Comparative quantification of health risks: global and regional burden of disease attributable to selected major risk factors. 2004. Geneva: World Health Organization. 163-209.
- ⁽⁹⁾ Diene S. The essential nutrition actions. *HealthLink* 2003;(124).
- ⁽¹⁰⁾ WHO, UNICEF. The global strategy for infant and young child feeding. 2003. Geneva, Switzerland: World Health Organization.
- ⁽¹¹⁾ Bryce J, Black RE, Walker N, Bhutta ZA, Lawn JE, Steketee RW. Can the world afford to save the lives of 6 million children each year? *Lancet* 2005; 365(9478):2193-2200.
- ⁽¹²⁾ Fishman S, Caulfield LE, de Onis M, Blössner M, Hyder AA, Mullany L, et al. Comparative risk assessment: Underweight status. In: Ezzati M, Lopez AD, Rodgers A, Murray C, editors. Comparative Quantification of Health Risks: Global and Regional Burden of Disease Attributable to Selected Major Risk Factors. 2004. Geneva, Switzerland: World Health Organization.
- ⁽¹³⁾ LINKAGES Project. Facts for feeding: birth, initiation of breastfeeding, and the first seven days after birth. 2003. Washington, DC: Academy for Educational Development.
- ⁽¹⁴⁾ Edmond KM, Zandoh C, Quigley MA, menga-Etego S, Owusu-Agyei S, Kirkwood BR. Delayed breastfeeding initiation increases risk of neonatal mortality. *Pediatrics* 2006; 117(3):e380-e386.
- ⁽¹⁵⁾ Jones G, Steketee RW, Black RE, Bhutta ZA, Morris SS. How many child deaths can we prevent this year? *Lancet* 2003; 362:65-71.
- ⁽¹⁶⁾ Edmond KM, Bahl R, Taiwah-Agyemang, Lawn JE, Kirkwood BR. Breast is still best: new evidence of the potential to save at least 1.4 million lives. Commonwealth Health Ministers Reference Book 2006. 2006.
- ⁽¹⁷⁾ WHO Collaborative group. Effect of breastfeeding on infant and child mortality due to infectious diseases in less developed countries: a pooled analysis. WHO Collaborative Study Team on the Role of Breastfeeding on the Prevention of Infant Mortality. *Lancet* 2000; 355:451-455.
- ⁽¹⁸⁾ Huffman SL, Zehner ER, Victora C. Can improvements in breast-feeding practices reduce neonatal mortality in developing countries? *Midwifery* 2001; 17(2):80-92.
- ⁽¹⁹⁾ WHO. Managing complications in pregnancy and childbirth: a guide for midwives and doctors. 2000. Integrated Management of Pregnancy and Childbirth (IMPAC). Geneva, Switzerland: World Health Organization. (WHO/RHR/00.7)
- ⁽²⁰⁾ WHO. Optimal feeding of the low birthweight infant guidelines (draft). 2006.
- ⁽²¹⁾ WHO. Pregnancy, Childbirth, Postpartum and Newborn Care: A guide for essential practice. 2003. Integrated Management of Pregnancy and Childbirth (IMPAC). Geneva, Switzerland: World Health Organization.
- ⁽²²⁾ LINKAGES Project. Facts for feeding: feeding low birthweight babies. 2006. Washington, DC: Academy for Educational Development.
- ⁽²³⁾ LINKAGES Project. Infant feeding options in the context of HIV. 2005. Washington, DC: Academy for Educational Development.
- ⁽²⁴⁾ LINKAGES Project. Experience LINKAGES: Behavior Change Communication. 2003. Washington, DC: Academy for Educational Development.
- ⁽²⁵⁾ Mknelly B. Freedom from Hunger's credit with education strategy for improving nutrition security: impact evaluation results from Ghana. 1997. Sacramento, CA, Paper presented at the XII International Conference of Agricultural Economists.
- ⁽²⁶⁾ van Rheenen PF, Brabin BJ. Late umbilical cord-clamping as an intervention for reducing iron deficiency anaemia in term infants in developing and industrialised countries: a systematic review. *Ann Trop Paediatr* 2004; 24(1):3-16.
- ⁽²⁷⁾ Aguayo VM, Roley JA, Malanze J, Meershoek SP. Opportunities for improving the quality of nutritional services in the national health system in Mozambique: findings from Manica Province. *J Trop Pediatr* 2004; 50(5):314-318.
- ⁽²⁸⁾ Deneke K, Rubin J, Franklin N, Guyon A. Prevention of mother to child transmission baseline survey Ethiopia. 2004. Addis Ababa, Ethiopia: LINKAGES Project/Ethiopia, Academy for Educational Development.
- ⁽²⁹⁾ UNICEF. The baby-friendly hospital initiative. 2006. (www.unicef.org/programme/breastfeeding/baby.htm). Accessed 10 September 2006.
- ⁽³⁰⁾ Semega-Janneh I. Breastfeeding: from biology to policy. The second Abraham Horwitz lecture. SCN annual session. Oslo, Norway, 1998.
- ⁽³¹⁾ Morrow AL, Guerrero ML, Shults J, Calva JJ, Lutter C, Bravo J et al. Efficacy of home-based peer counselling to promote exclusive breastfeeding: a randomised controlled trial. *Lancet* 1999; 353(9160):1226-1231.
- ⁽³²⁾ Green C. Improving Breastfeeding Behaviors: Evidence from two decades of intervention research. 1999. Washington, DC: Academy for Educational Development.
- ⁽³³⁾ WHO. Africa's newborns: the forgotten children. 2002. Brazzaville: WHO Regional Office for Africa.
- ⁽³⁴⁾ Schubert JW, Martin LH. Seeing is believing: mobilizing community support for breastfeeding in Ghana. *Nutrition* 2006; 2:5-7.
- ⁽³⁵⁾ Quinn VJ, Guyon AB, Schubert JW, Stone-Jimenez M, Hainsworth MD, Martin LH. Improving breastfeeding practices on a broad scale at the community level: success stories from Africa and Latin America. *J Hum Lact* 2005; 21(3):345-354.

Section III Chapitre 7 - Programmes de prévention de la transmission mère-à-enfant du VIH

- ⁽¹⁾ UNAIDS. Report on the global AIDS epidemic. 2006. Geneva, Joint United Nations Programme on HIV/AIDS (UNAIDS).
- ⁽²⁾ European HIV in Obstetrics Group. Higher rates of post-partum complications in HIV-infected than in uninfected women irrespective of mode of delivery. *AIDS* 2004; 18(6):933-938.
- ⁽³⁾ Fawcus SR, van Coeverden de Groot HA, Isaacs S. A 50-year audit of maternal mortality in the Peninsula Maternal and Neonatal Service, Cape Town (1953-2002). *BJOG* 2005; 112(9):1257-1263.
- ⁽⁴⁾ Ahmed Y, Mwaba P, Chintu C, Grange JM, Ustianowski A, Zumla A. A study of maternal mortality at the University Teaching Hospital, Lusaka, Zambia: the emergence of tuberculosis as a major non-obstetric cause of maternal death. *Int J Tuberc Lung Dis* 1999; 3(8):675-680.
- ⁽⁵⁾ Temmerman M, Plummer FA, Mirza NB, Ndinya-Achola JO, Wamola IA, Nagelkerke N et al. Infection with HIV as a risk factor for adverse obstetrical outcome. *AIDS* 1990; 4(11):1087-1093.
- ⁽⁶⁾ Bulterys M, Chao A, Munyemana S, Kurawige JB, Nawrocki P, Habimana P et al. Maternal human immunodeficiency virus 1 infection and intrauterine growth: a prospective cohort study in Butare, Rwanda. *Pediatr Infect Dis J* 1994; 13(2):94-100.
- ⁽⁷⁾ Braddick MR, Kreiss JK, Embree JB, Datta P, Ndinya-Achola JO, Pamba H et al. Impact of maternal HIV infection on obstetrical and early neonatal outcome. *AIDS* 1990; 4(10):1001-1005.
- ⁽⁸⁾ Embree JE, Njenga S, Datta P, Nagelkerke NJ, Ndinya-Achola JO, Mohammed Z et al. Risk factors for postnatal mother-child transmission of HIV-1. *AIDS* 2000; 14(16):2535-2541.
- ⁽⁹⁾ Dunn DT, Newell ML, Ades AE, Peckham CS. Risk of human immunodeficiency virus type 1 transmission through breastfeeding. *Lancet* 1992; 340:585-588.
- ⁽¹⁰⁾ Mofenson LM, Lambert JS, Stiehm ER, Bethel J, Meyer WA, III, Whitehouse J et al. Risk factors for perinatal transmission of human immunodeficiency virus type 1 in women treated with zidovudine. *Pediatric AIDS Clinical Trials Group Study 185 Team. N Engl J Med* 1999; 341(6):385-393.
- ⁽¹¹⁾ Doherty T, Chopra M, Nkonki L, Jackson D, Greiner T. Effect of the HIV epidemic on infant feeding in South Africa: "When they see me coming with the tins they laugh at me". *Bull World Health Organ* 2006; 84(2):90-96.
- ⁽¹²⁾ Rollins N, Willumsen J. Evaluation of infant feeding practices by mothers at PMTCT and non-PMTCT sites in Botswana. Botswana PMTCT advisory group, Botswana Food and Nutrition Unit, Ministry of Health, Botswana. 2001. UNICEF Botswana.
- ⁽¹³⁾ WHO. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽¹⁴⁾ Bryce J, Boschi-Pinto C, Shibuya K, Black RE. WHO estimates of the causes of death in children. *Lancet* 2005; 365:1147-1152.

- ⁽¹⁵⁾ Cooper ER, Charurat M, Mofenson L, Hanson IC, Pitt J, Diaz C et al. Combination antiretroviral strategies for the treatment of pregnant HIV-1-infected women and prevention of perinatal HIV-1 transmission. *J Acquir Immune Defic Syndr* 2002; 29(5):484-494.
- ⁽¹⁶⁾ Newell ML, Coovadia H, Cortina-Borja M, Rollins N, Gaillard P, Dabis F. Mortality of infected and uninfected infants born to HIV-infected mothers in Africa: a pooled analysis. *Lancet* 2004; 364:1236-1243.
- ⁽¹⁷⁾ WHO. World Health Report 2006: working together for health. 2006. Geneva, Switzerland: World Health Organization.
- ⁽¹⁸⁾ Ayisi JG, Van Eijk AM, Newman RD, ter Kuile FO, Shi YP, Yang C et al. Maternal malaria and perinatal HIV transmission, western Kenya. *Emerg Infect Dis* 2004; 10(4):643-652.
- ⁽¹⁹⁾ Ayisi JG, Van Eijk AM, ter Kuile FO, Kolczak MS, Otieno JA, Misore AO et al. The effect of dual infection with HIV and malaria on pregnancy outcome in western Kenya. *AIDS* 2003; 17(4):585-594.
- ⁽²⁰⁾ Pillay T, Khan M, Moodley J, Adhikari M, Coovadia H. Perinatal tuberculosis and HIV-1: considerations for resource-limited settings. *Lancet Infect Dis* 2004; 4(3):155-165.
- ⁽²¹⁾ Khan M, Pillay T, Moodley JM, Connolly CA. Maternal mortality associated with tuberculosis-HIV-1 co-infection in Durban, South Africa. *AIDS* 2001; 15(14):1857-1863.
- ⁽²²⁾ Watson-Jones D, Chagalucha J, Gumodoka B, Weiss H, Rusizoka M, Ndeki L et al. Syphilis in pregnancy in Tanzania. I. Impact of maternal syphilis on outcome of pregnancy. *J Infect Dis* 2002; 186(7):940-947.
- ⁽²³⁾ Ahmad H, Mehta NJ, Manikal VM, Lamoste TJ, Chapnick EK, Lutwick LI et al. *Pneumocystis carinii* pneumonia in pregnancy. *Chest* 2001; 120(2):666-671.
- ⁽²⁴⁾ Kumar RM, Uduman SA, Khurana AK. Impact of pregnancy on maternal AIDS. *J Reprod Med* 1997; 42(7):429-434.
- ⁽²⁵⁾ Lallemand M, Jourdain G, Le CS, Mary JY, Ngo-Giang-Huong N, Koetsawang S et al. Single-dose perinatal nevirapine plus standard zidovudine to prevent mother-to-child transmission of HIV-1 in Thailand. *N Engl J Med* 2004; 351(3):217-228.
- ⁽²⁶⁾ Lim WS, Macfarlane JT, Colthorpe CL. Treatment of community-acquired lower respiratory tract infections during pregnancy. *Am J Respir Med* 2003; 2(3):221-233.
- ⁽²⁷⁾ St Louis ME, Kamenga M, Brown C, Nelson AM, Manzila T, Batter V et al. Risk for perinatal HIV-1 transmission according to maternal immunologic, virologic, and placental factors. *JAMA* 1993; 269(22):2853-2859.
- ⁽²⁸⁾ WHO. Nutrient requirements for people living with HIV/AIDS. Report of a technical consultation. 13-15 May 2003. Geneva, Switzerland: World Health Organization.
- ⁽²⁹⁾ WHO. Antiretroviral therapy of HIV infection in infants and children in resource-limited settings: towards universal access. 2006. Geneva, Switzerland: World Health Organization.
- ⁽³⁰⁾ Nduati R, John G, Mbori-Ngacha D, Richardson B, Overbaugh J, Mwatha A et al. Effect of breastfeeding and formula feeding on transmission of HIV-1: a randomized clinical trial. *JAMA* 2000; 283(9):1167-1174.
- ⁽³¹⁾ WHO. Guiding principles for feeding non-breastfed children 6-24 months of age. 2005. Geneva, Switzerland: World Health Organization.
- ⁽³²⁾ UNICEF. State of the World's Children 2006. 2005. New York: United Nations Children's Fund.
- ⁽³³⁾ Tanzania report. 2005. Elizabeth Glaser Paediatric AIDS Foundation and Engender Health. Dec-Jan 2005.
- ⁽³⁴⁾ Manzi M, Zachariah R, Teck R, Buhendwa L, Kazima J, Bakali E et al. High acceptability of voluntary counselling and HIV-testing but unacceptable loss to follow up in a prevention of mother-to-child HIV transmission programme in rural Malawi: scaling-up requires a different way of acting. *Trop Med Int Health* 2005; 10(12):1242-1250.
- ⁽³⁵⁾ Kagaayi J, Dreyfuss ML, Kigozi G, Chen MZ, Wabwire-Mangen F, Serwadda D et al. Maternal self-medication and provision of nevirapine to newborns by women in Rakai, Uganda. *J Acquir Immune Defic Syndr* 2005; 39(1):121-124.
- ⁽³⁶⁾ WHO, UNICEF. The global strategy for infant and young child feeding. 2003. Geneva, World Health Organization.
- ⁽³⁷⁾ Narayanan I, Bagchi A, Rose M, Hessler-Radelet C, Kramer C. Safeguarding investment in PMTCT programs by incorporating essential newborn care. 2004. Arlington, Virginia, Basic Support for Institutionalizing Child Survival Project (BASICS II).
- ⁽³⁸⁾ WHO. Technical consultation on the integration of HIV interventions into maternal, newborn, and child health services. Report of a meeting, 5-7 April 2006. Geneva, Switzerland: World Health Organization.
- ⁽³⁹⁾ WHO mission reports. Integration of HIV/AIDS with reproductive health and child health services using PMTCT as an entry point, Uganda and Mozambique. 2004. WHO regional office for Africa.
- ⁽⁴⁰⁾ Sweat M, O'Reilly K, Schmid G, Denison J, de Zoysa I. Cost-effectiveness of nevirapine to prevent mother-to-child HIV transmission in eight African countries. *AIDS* 2004; 18(12):1661-1671.
- ⁽⁴¹⁾ Msaky H, et al. Scaling the Frontier: Traditional Birth Attendant Involvement in PMTCT Service Delivery in Hai and Kilombero District of Tanzania. 2004. Bangkok XV International AIDS Conference.
- ⁽⁴²⁾ Mahomva A, Miller A. Integrating HIV-related information into routine family and child health service systems: the Zimbabwe experience. 2004. National Ministry of Health and Child Welfare, Zimbabwe; the Elizabeth Glaser Paediatric AIDS Foundation, Zimbabwe; and USAID/Zimbabwe.
- ⁽⁴³⁾ Gichangi P. Scaling Up Interventions for Prevention of Mother to Child Transmission of HIV in Zambia: Best Practices. 2005. WHO regional office for Africa.
- ⁽⁴⁴⁾ Bweupe M. Integration of HIV interventions in maternal, newborn, and child care services in Zambia: country experience. April 5-7, 2006. Geneva, Switzerland: World Health Organization.

Section III Chapitre 8 - Programmes de lutte contre le paludisme

- ⁽¹⁾ Rowe AK, Rowe SY, Snow RW, Korenromp EL, Schellenberg JR, Stein C et al. The burden of malaria mortality among African children in the year 2000. *Int J Epidemiol* 2006; 35(3):691-704.
- ⁽²⁾ Worrall E, Rietveld A, Delacollette C. The burden of malaria epidemics and cost-effectiveness of interventions in epidemic situations in Africa. *Am J Trop Med Hyg* 2004; 71(2 Suppl):136-140.
- ⁽³⁾ Bouyou-Akotet MK, Ionete-Collard DE, Mabika-Manfoumbi M, Kendjo E, Matsigui PB, Mavoungou E et al. Prevalence of *Plasmodium falciparum* infection in pregnant women in Gabon. *Malar J* 2003; 2:18.
- ⁽⁴⁾ Shulman CE, Marshall T, Dorman EK, Bulmer JN, Cutts F, Peshu N et al. Malaria in pregnancy: adverse effects on haemoglobin levels and birthweight in primigravidae and multigravidae. *Trop Med Int Health* 2001; 6(10):770-778.
- ⁽⁵⁾ Abrams ET, Kwick JJ, Mwapasa V, Kamwendo DD, Tadesse E, Lema VM et al. Malaria during pregnancy and foetal haematological status in Blantyre, Malawi. *Malar J* 2005; 4:39.
- ⁽⁶⁾ Newman RD, Hailemariam A, Jimma D, Degifie A, Kebede D, Rietveld AE et al. Burden of malaria during pregnancy in areas of stable and unstable transmission in Ethiopia during a non-epidemic year. *J Infect Dis* 2003; 187(11):1765-1772.
- ⁽⁷⁾ Okoko BJ, Ota MO, Yamuah LK, Idiong D, Mkpanam SN, Avieka A et al. Influence of placental malaria infection on foetal outcome in the Gambia: twenty years after Ian McGregor. *J Health Popul Nutr* 2002; 20(1):4-11.
- ⁽⁸⁾ McDermott JM, Slutsker L, Steketee RW, Wirima JJ, Breman JG, Heymann DL. Prospective assessment of mortality among a cohort of pregnant women in rural Malawi. *Am J Trop Med Hyg* 1996; 55(1 Suppl):66-70.
- ⁽⁹⁾ Greenwood AM, Armstrong JR, Byass P, Snow RW, Greenwood BM. Malaria chemoprophylaxis, birth weight and child survival. *Trans R Soc Trop Med Hyg* 1992; 86(5):483-485.
- ⁽¹⁰⁾ McDermott JM, Wirima JJ, Steketee RW, Breman JG, Heymann DL. The effect of placental malaria infection on perinatal mortality in rural Malawi. *Am J Trop Med Hyg* 1996; 55(1 Suppl):61-65.
- ⁽¹¹⁾ WHO. Strategic framework for malaria prevention and control during pregnancy in the African region. 2004. Brazzaville, Congo, WHO Regional Office for Africa.
- ⁽¹²⁾ ter Kuile FO, Parise ME, Verhoeff FH, Udhayakumar V, Newman RD, Van Eijk AM et al. The burden of co-infection with human immunodeficiency virus type 1 and malaria in pregnant women in sub-Saharan Africa. *Am J Trop Med Hyg* 2004; 71(2 Suppl):41-54.
- ⁽¹³⁾ Van Eijk AM, Ayisi JG, ter Kuile FO, Misore A, Otieno JA, Kolczak MS et al. Human immunodeficiency virus seropositivity and malaria as risk factors for third-trimester anemia in asymptomatic pregnant women in western Kenya. *Am J Trop Med Hyg* 2001; 65(5):623-630.
- ⁽¹⁴⁾ Brahmabhatt H, Kigozi G, Wabwire-Mangen F, Serwadda D, Sewankambo N, Lutalo T et al. The effects of placental malaria on mother-to-child HIV transmission in Rakai, Uganda. *AIDS* 2003; 17(17):2539-2541.
- ⁽¹⁵⁾ Ayisi JG, Van Eijk AM, Newman RD, ter Kuile FO, Shi YP, Yang C et al. Maternal malaria and perinatal HIV transmission, western Kenya. *Emerg Infect Dis* 2004; 10(4):643-652.
- ⁽¹⁶⁾ Steketee RW, Wirima JJ, Hightower AW, Slutsker L, Heymann DL, Breman JG. The effect of malaria and malaria prevention in pregnancy on offspring birthweight, prematurity, and intrauterine growth retardation in rural Malawi. *Am J Trop Med Hyg* 1996; 55(1 Suppl):33-41.
- ⁽¹⁷⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365(9463):977-988.

- ⁽¹⁸⁾ Gamble C, Ekwaru JP, ter Kuile FO. Insecticide-treated nets for preventing malaria in pregnancy. *Cochrane Database Syst Rev* 2006;(2):CD003755.
- ⁽¹⁹⁾ Curtis C, Maxwell C, Lemnge M, Kilima WL, Steketeer RW, Hawley WA et al. Scaling-up coverage with insecticide-treated nets against malaria in Africa: who should pay? *Lancet Infect Dis* 2003; 3(5):304-307.
- ⁽²⁰⁾ Shulman CE, Dorman EK, Cutts F, Kawuondo K, Bulmer JN, Peshu N et al. Intermittent sulphadoxine-pyrimethamine to prevent severe anaemia secondary to malaria in pregnancy: a randomised placebo-controlled trial. *Lancet* 1999; 353(February 20):632-636.
- ⁽²¹⁾ Parise ME, Ayisi JG, Nahlen BL, Schultz LJ, Roberts JM, Misore A et al. Efficacy of sulfadoxine-pyrimethamine for prevention of placental malaria in an area of Kenya with a high prevalence of malaria and human immunodeficiency virus infection. *Am J Trop Med Hyg* 1998; 59(5):813-822.
- ⁽²²⁾ MIPESA. Assessment of malaria country experiences in the adoption and implementation of malaria in pregnancy policies: Including best practices and lessons learned. ACCESS, WHO; 2005.
- ⁽²³⁾ Guyatt HL, Noor AM, Ochola SA, Snow RW. Use of intermittent presumptive treatment and insecticide treated bed nets by pregnant women in four Kenyan districts. *Trop Med Int Health* 2004; 9(2):255-261.
- ⁽²⁴⁾ Van Eijk AM, Blokland IE, Slutsker L, Odhiambo F, Ayisi JG, Bles HM et al. Use of intermittent preventive treatment for malaria in pregnancy in a rural area of western Kenya with high coverage of insecticide-treated bed nets. *Trop Med Int Health* 2005; 10(11):1134-1140.
- ⁽²⁵⁾ Holtz TH, Kachur SP, Roberts JM, Marum LH, Mkandala C, Chizani N et al. Use of antenatal care services and intermittent preventive treatment for malaria among pregnant women in Blantyre District, Malawi. *Trop Med Int Health* 2004; 9(1):77-82.
- ⁽²⁶⁾ Mbonye AK, Neema S, Magnussen P. Perceptions on use of sulfadoxine-pyrimethamine in pregnancy and the policy implications for malaria control in Uganda. *Health Policy* 2006; 77(3):279-289.
- ⁽²⁷⁾ Nganda RY, Drakeley C, Reyburn H, Marchant T. Knowledge of malaria influences the use of insecticide treated nets but not intermittent presumptive treatment by pregnant women in Tanzania. *Malar J* 2004; 3:42.
- ⁽²⁸⁾ WHO. Recommendations on the use of Sulfadoxine-Pyrimethamine (SP) for intermittent preventive treatment during pregnancy (IPT) in areas of moderate to high resistance to SP in the African Region. 2005. Harare, 27-28 October 2005., WHO Regional Office for Africa in collaboration with the Roll Back Malaria Department.
- ⁽²⁹⁾ Boller C, Wyss K, Mtasiwa D, Tanner M. Quality and comparison of antenatal care in public and private providers in the United Republic of Tanzania. *Bull World Health Organ* 2003; 81(2):116-122.
- ⁽³⁰⁾ Roll Back Malaria Partnership Working Group on Insecticide Treated Nets (WIN). Summary report of meeting on development, production and distribution of long-lasting insecticidal nets. Johannesburg, South Africa: 2004.

Section III Chapitre 9 - Programmes de vaccination

- ⁽¹⁾ WHO. The World Health Report: Make Every Mother and Child Count. 2005. Geneva, Switzerland: WHO.
- ⁽²⁾ Victora CG, Fenn DB, Bryce J, Kirkwood BR. Co-coverage of preventive interventions and implications for child-survival strategies: evidence from national surveys. *Lancet* 2005; 366:1460-1466.
- ⁽³⁾ Khan KS, Wojdyla D, Say L, Gulmezoglu AM, Van Look PF. WHO analysis of causes of maternal death: a systematic review. *Lancet* 2006; 367:1066-1074.
- ⁽⁴⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽⁵⁾ Meegan ME, Conroy RM, Lengeny SO, Renhault K, Nyangole J. Effect on neonatal tetanus mortality after a culturally-based health promotion programme. *Lancet* 2001; 358:640-641.
- ⁽⁶⁾ UNICEF, WHO and UNFPA. Maternal and neonatal tetanus elimination by 2005: Strategies for achieving and maintaining elimination. 2000.
- ⁽⁷⁾ WHO. WHO recommended standards for surveillance of selected vaccine preventable diseases. 2003. Geneva, Switzerland: World Health Organization.
- ⁽⁸⁾ WHO. Maternal and neonatal tetanus elimination, issues of gross neonatal tetanus cases and deaths under-reporting in West Africa. Brazzaville: WHO Regional Office for Africa. (<http://www.afro.who.int/nnt/reports/elimination.pdf>. 2001. Accessed 17 September 2006.)
- ⁽⁹⁾ Cutts F, Vynnycky E. Modeling the incidence of congenital rubella syndrome in developing countries. *Internal Journal of Epidemiology* 1999; 28:1176-1184.
- ⁽¹⁰⁾ Lawn JE, Reef S, Baffoe-Bonnie B, Adadevoh S, Caul EO, Griffin GE. Unseen blindness, unheard deafness, and unrecorded death and disability: congenital rubella in Kumasi, Ghana. *Am J Public Health* 2000; 90(10):1555-1561.
- ⁽¹¹⁾ WHO. Rubella vaccines: WHO position paper. *Wkly Epidemiol Rec* 2000; 75:161-172.
- ⁽¹²⁾ WHO. Hepatitis B vaccines: WHO position paper. *Wkly Epidemiol Rec* 2004; 79(28):255-263.
- ⁽¹³⁾ Poliomyelitis. Fact sheet No. 114. 2003. (<http://www.who.int/mediacentre/factsheets/fs114/en/>. Accessed 15 September 2006.)
- ⁽¹⁴⁾ UNICEF. State of the World's Children 2006. 2005. New York: The United Nations Children's Fund.
- ⁽¹⁵⁾ WHO. Tetanus vaccine: WHO position paper. *Wkly Epidemiol Rec* 2006; 81(20):198-208.
- ⁽¹⁶⁾ WHO. Maternal and Neonatal Tetanus elimination: Progress toward global MNT elimination. (http://www.who.int/immunization_monitoring/diseases/MNTE_initiative/en/index4.html. Accessed 23 October 2006.)
- ⁽¹⁷⁾ WHO. WHO vaccine-preventable diseases: monitoring system – 2005 Global Summary. 2005. Geneva, Switzerland: World Health Organization.
- ⁽¹⁸⁾ Lawn JE, Reef S, Baffoe-Bonnie B, Adadevoh S, Caul EO, Griffin GE. Unseen blindness, unheard deafness, and unrecorded death and disability: congenital rubella in Kumasi, Ghana. *Am J Public Health* 2000; 90(10):1555-1561.
- ⁽¹⁹⁾ Delamonica E, Minujin A, Gulaid J. Monitoring equity in immunization coverage. *Bull World Health Organ* 2005; 83(5):384-391.

Section IV - Atteindre toutes les mères et tous les bébés en Afrique avec les soins essentiels

- ⁽¹⁾ Darmstadt GL, Cousens S, Walker D, Lawn JE, Bhutta ZA, Haws RA. Increasing resources to save newborn lives. 2006. (Available on CD)
- ⁽²⁾ Travis P, Bennett S, Haines A, Pang T, Bhutta Z, Hyder AA et al. Overcoming health-systems constraints to achieve the Millennium Development Goals. *Lancet* 2004; 364(9437):900-906.
- ⁽³⁾ WHO. World Health Report 2006: working together for health. 2006. Geneva, Switzerland: World Health Organization.
- ⁽⁴⁾ The Paris Declaration. 2 March 2005. (http://www.oecd.org/document/18/0,2340,en_2649_3236398_35401554_1_1_1_1,00.html. Accessed 20 September 2006.)
- ⁽⁵⁾ Ndoye A, Mbound BM, Fall M, Narayanan I, Thiam A, Plowman B et al. Newborn health interventions in Senegal: the early implementation phase. Basic Support for Institutionalizing Child Survival Project (BASICS II) for the United States Agency for International Development; 2004.
- ⁽⁶⁾ Lalonde AB, Okong P, Mugasa A, Perron L. The FIGO Save the Mothers Initiative: the Uganda-Canada collaboration. *Int J Gynaecol Obstet* 2003; 80(2):204-212.
- ⁽⁷⁾ Fawcus SR, van Coeverden de Groot HA, Isaacs S. A 50-year audit of maternal mortality in the Peninsula Maternal and Neonatal Service, Cape Town (1953-2002). *BJOG* 2005; 112(9):1257-1263.
- ⁽⁸⁾ Saving Babies 2001: 2nd Perinatal Care Survey of South Africa. Pattinson RC, editor. 2004. The MRC Unit for Maternal and Infant Health Care Strategies, PPIP Users, and the National Department of Health.
- ⁽⁹⁾ James C, Morris SS, Keith R, Taylor A. Impact on child mortality of removing user fees: simulation model. *BMJ* 2005; 331:747-749.
- ⁽¹⁰⁾ Gilson L, McIntyre D. Removing user fees for primary care in Africa: the need for careful action. *BMJ* 2005; 331(7519):762-765.
- ⁽¹¹⁾ Borghi J, Hanson K, Acquah CA, Ekanmian G, Filippi V, Ronsmans C et al. Costs of near-miss obstetric complications for women and their families in Benin and Ghana. *Health Policy Plan* 2003; 18(4):383-390.
- ⁽¹²⁾ Gilson L. The lessons of user fee experience in Africa. *Health Policy Plan* 1997; 12(4):273-285.
- ⁽¹³⁾ McPake B. User charges for health services in developing countries: a review of the economic literature. *Soc Sci Med* 1993; 36(11):1397-1405.
- ⁽¹⁴⁾ Palmer N, Mueller DH, Gilson L, Mills A, Haines A. Health financing to promote access in low income settings-how much do we know? *Lancet* 2004; 364:1365-1370.
- ⁽¹⁵⁾ Report of the inter-country workshop for strengthening newborn care in maternal and child health programmes. 5-9 June 2006. Harare, Zimbabwe. PMNCH, Save the Children, UNFPA, UNICEF, USAID, WHO.
- ⁽¹⁶⁾ WHO, Save the Children, with contribution from UK Department for International Development. Newborn health policy and planning framework. Part I: Overview for policy-makers. (<http://www.who.int/child-adolescent-health/publications/pubneonatal.htm>. Accessed 10 October 2006.)
- ⁽¹⁷⁾ République du Mali, UNICEF, WHO, Save the Children, WAHO, UNFPA et al. Vision 2010: reduction of maternal and neonatal mortality and morbidity in west and central Africa. 2005. Bamako, Mali: UNICEF.

- ⁽¹⁸⁾ UNICEF. Saving Newborn Lives/Save the Children – US. Strategic guidance note on the newborn. 2006. (Draft available on CD)
- ⁽¹⁹⁾ WHO. Beyond the numbers: Reviewing maternal deaths and complications to make pregnancy safer. 2004. Geneva, Switzerland: World Health Organization.
- ⁽²⁰⁾ Koblinsky M, Matthews Z, Hussein J, et al. Going to scale with professional skilled care. *Lancet* 2006; published online Sept 28. DOI:10.1016/S0140-6736(06)69382-3.
- ⁽²¹⁾ WHO. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽²²⁾ WHO. Policy brief one: integrating maternal, newborn and child health programmes. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽²³⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽²⁴⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365:977-988.
- ⁽²⁵⁾ Darmstadt GL, Walker N, Lawn JE, Bhutta ZA, Cousens S. Saving newborn lives in Asia and Africa: cost and impact of phased scale-up of interventions within the continuum of care. 2006.
- ⁽²⁶⁾ Knippenberg R, Lawn JE, Darmstadt GL, Begkoyian G, Fogstad H, Walelign N et al. Systematic scaling up of neonatal care in countries. *Lancet* 2005; 365:1087-1098.
- ⁽²⁷⁾ Martines J, Paul VK, Bhutta ZA, Koblinsky M, Soucat A, Walker N et al. Neonatal survival: a call for action. *Lancet* 2005; 365:1189-1197.
- ⁽²⁸⁾ Lawn JE, Zupan J, Begkoyian G, Knippenberg R. Newborn Survival. In: Jamison D, Measham A, editors. *Disease Control Priorities*. 2 ed. The World Bank and the National Institutes of Health; 2005.
- ⁽²⁹⁾ Palmer D. Tackling Malawi's human resources crisis. *Reprod Health Matters* 2006; 14(27):27-39.
- ⁽³⁰⁾ Second Meeting of the High Level Forum on Health MDGs. Addressing Africa's workforce crisis: an avenue for action. 2-3 December 2004. Abuja, Nigeria.
- ⁽³¹⁾ Rowe AK, de SD, Lanata CF, Victora CG. How can we achieve and maintain high-quality performance of health workers in low-resource settings? *Lancet* 2005; 366:1026-1035.
- ⁽³²⁾ Woods DL, Theron GB. The impact of the Perinatal Education Programme on cognitive knowledge in midwives. *S Afr Med J* 1995; 85(3):150-153.
- ⁽³³⁾ Theron GB. The potential of midwives providing primary obstetric care to reduce perinatal deaths in a rural region. *International Journal of Gynecology & Obstetrics* 2000; 70:367-371.
- ⁽³⁴⁾ da Luz Vaz M, Bergstrom S. Mozambique – delegation of responsibility in the area of maternal care. *Int J Gynaecol Obstet* 1992; 38 Suppl:S37-9.:S37-S39.
- ⁽³⁵⁾ Haines A, Saunders D, Rowe AK, Lawn JE, Jan S, Walker D et al. Achieving child survival goals: potential contribution of community health workers. *The Lancet* 2006. In press.
- ⁽³⁶⁾ Lawn JE, Cousens SN, Darmstadt GL, Bhutta ZA, Martines J, Paul V et al. 1 year after The Lancet Neonatal Survival Series – was the call for action heard? *Lancet* 2006; 367:1541-1547.
- ⁽³⁷⁾ Manandhar DS, Osrin D, Shrestha BP, Mesko N, Morrison J, Tumbahangphe KM et al. Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. *Lancet* 2004; 364:970-979.
- ⁽³⁸⁾ Ahluwalia I, Kouletio M, Curtis K, Schmid T. Community empowerment: CDC collaboration with the CARE community-based reproductive health project in two districts in Tanzania. *J Womens Health Gender-based Med* 1999; 8:1015-1019.
- ⁽³⁹⁾ Chiwuzie J, Okojie O, Okolocha C, Omorogbe S, Oronsaye A, Akpala W et al. Emergency loan funds to improve access to obstetric care in Ekpoma, Nigeria. *International Journal of Gynecology and Obstetrics* 59 Suppl 2, S231-S236. 1997.
- ⁽⁴⁰⁾ Foreit KGE, Hardee K, Agarwal K. When does it make sense to consider integrating STI and HIV services with family planning services? *Int Fam Plan Perspect* 2002; 28(2):105-107.
- ⁽⁴¹⁾ Briggs CJ, Capdegelle P, Garner P. Strategies for integrating primary health services in middle- and low-income countries: effects on performance, costs and patient outcomes. *Cochrane Database Syst Rev* 2001;(4):CD003318.
- ⁽⁴²⁾ Liese BH, Sachdeva PS, Cochrane DG. Organizing and managing tropical disease control programs: case studies. 1992. Washington DC: World Bank.
- ⁽⁴³⁾ Stansfield S, Walsh JA, Prata N, Evans T. Information to improve decision making for health. In: Jamison D, Measham A, editors. *Disease Control Priorities*. 2 ed. The World Bank and the National Institutes of Health; 2005.
- ⁽⁴⁴⁾ Powell-Jackson T, Borghi J, Mueller DH, Patouillard E, Mills A. Countdown to 2015: tracking donor assistance to maternal, newborn, and child health. *Lancet* 2006; 368:1077-1087.
- ⁽⁴⁵⁾ Bryce J, Terrerri N, Victora CG, Mason E, Daelmans B, Bhutta ZA et al. Countdown to 2015: tracking intervention coverage for child survival. *Lancet* 2006; 368:1067-1076.
- ⁽⁴⁶⁾ UN Millennium Project. Goals, targets and indicators. 2006. (<http://unmillenniumproject.org/goals/goals03.htm>. Accessed 10 October 2006).
- ⁽⁴⁷⁾ WHO, UNICEF. Child survival survey-based indicators: Report of a UNICEF/WHO meeting. 17-18 June 2004. New York: World Health Organization.
- ⁽⁴⁸⁾ WHO. Reproductive health indicators – guidelines for their generation, interpretation and analysis for global monitoring. Geneva, Switzerland: World Health Organization; 2006.

Section V - Information concrète pour passer à l'action

- ⁽¹⁾ WHO. Neonatal and perinatal mortality: regional, country and global estimates. 2006. Geneva, Switzerland: World Health Organization.
- ⁽²⁾ UNICEF. State of the World's Children 2006. 2005. New York: United Nations Children's Fund.
- ⁽³⁾ Lumbiganon P, Panomonta M, Laopaiboon M, Pothinam S, Patitath N. Why are Thai official perinatal and infant mortality rates so low? *Int J Epidemiol* 1990; 19(4):997-1000.
- ⁽⁴⁾ McCarthy BJ, Terry J, Rochat RW, Quave S, Tyler CW, Jr. The underregistration of neonatal deaths: Georgia 1974-77. *Am J Public Health* 1980; 70(9):977-982.
- ⁽⁵⁾ Curtis S. Assessment of the quality of data used for direct estimation of infant and child mortality in DHS II surveys (DHS Occasional Papers, No. 3). 1995. Calverton, MD: Macro International Inc.
- ⁽⁶⁾ Bang AT, Reddy MH, Deshmukh MD. Child Mortality in Maharashtra. *Economic and Political Weekly* 2002; 37(49):4947-4965.
- ⁽⁷⁾ Lawn JE, Wilczynska-Ketende K, Cousens SN. Estimating the causes of 4 million neonatal deaths in the year 2000. *Int J Epidemiol* 2006; 35(3):706-718.
- ⁽⁸⁾ Bryce J, Boschi-Pinto C, Shibuya K, Black RE. WHO estimates of the causes of death in children. *Lancet* 2005; 365(9465):1147-1152.
- ⁽⁹⁾ WHO. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽¹⁰⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365:977-988.
- ⁽¹¹⁾ Bhutta ZA, Darmstadt GL, Hasan BS, Haws RA. Community-based interventions for improving perinatal and neonatal health outcomes in developing countries: a review of the evidence. *Pediatrics* 2005; 115(2 Suppl):519-617.
- ⁽¹²⁾ Martines J, Paul VK, Bhutta ZA, Koblinsky M, Soucat A, Walker N et al. Neonatal survival: a call for action. *Lancet* 2005; 365:1189-1197.
- ⁽¹³⁾ Darmstadt GL, Cousens S, Walker D, Lawn JE, Bhutta ZA, Haws RA. Increasing resources to save newborn lives. 2006. (Available on CD)
- ⁽¹⁴⁾ Bryce J, Black RE, Walker N, Bhutta ZA, Lawn JE, Steketee RW. Can the world afford to save the lives of 6 million children each year? *Lancet* 2005; 365:2193-2200.
- ⁽¹⁵⁾ WHO. World Health Report 2006: working together for health. 2006. Geneva, Switzerland: World Health Organization.
- ⁽¹⁶⁾ Tracking progress in child survival countdown to 2015. 2005. (<http://www.childsurvivalcountdown.com/> Accessed 10 September 2006)
- ⁽¹⁷⁾ Stanton C, Lawn JE, Rahman H, Wilczynska-Ketende K, Hill K. Stillbirth rates: delivering estimates in 190 countries. *Lancet* 2006; 367(9521):1487-1494.
- ⁽¹⁸⁾ Rutstein SO, Johnson S. The DHS Wealth Index. (DHS Comparative Reports No. 6) 1004. Calverton, MD: Macro International Inc.
- ⁽¹⁹⁾ WHO. Maternal and Neonatal Tetanus elimination: Progress toward global MNT elimination. (http://www.who.int/immunization_monitoring/diseases/MNTE_initiative/en/index4.html. Accessed 23 October 2006.)
- ⁽²⁰⁾ Confirmation of the elimination of neonatal tetanus in Togo by lot quality assurance-cluster sampling. *Wkly Epidemiol Rec* 2006; 81(4):34-39.
- ⁽²¹⁾ Population Reference Bureau. 2006 World Population Datasheet. 2006. Washington, DC, Population Reference Bureau.
- ⁽²²⁾ Lawn JE, Shibuya K, Stein C. No cry: Global estimates of intrapartum-related stillbirths and neonatal deaths. *Bull World Health Organ* 2005; 83(6):409-417.
- ⁽²³⁾ Hill K, AbouZhar C, Wardlaw T. Estimates of maternal mortality for 1995. *Bull World Health Organ* 2001; 79(3):182-193.
- ⁽²⁴⁾ AbouZhar C, Wardlaw T. Maternal Mortality in 2000: Estimates Developed by WHO, UNICEF and UNFPA. 2003.
- ⁽²⁵⁾ Ronsmans C, Graham WJ. Maternal mortality: who, when, where, and why. *Lancet* 2006; 368:1189-1200.

Indice

A

Accouchement prématuré, voir causes et interventions
Actions nutritionnelles essentielles 103
Afrique du Sud, profil 214 ; 14, 65, 157, 166
Afrique subsaharienne, profil 174
Akande, Professeur E ; Oluwole 5
Alimentation, complémentaire 93, 95
Alimentation, options pour les femmes séropositives à VIH 106, 116, 122
Allaitement maternel, directives 104-6
Allaitement maternel, exclusif 29, 64, 104, 110, 230-1
Allaitement maternel, précoce/immédiat 29, 96, 104, 106-7, 230-1
Aménorrhée due à la lactation 83-4
Analyse de vies sauvées 163, 227-8
Analyse situationnelle 159-60
Analyse du coût de l'expansion 169
Angola, profil 175
Asphyxie à la naissance, voir causes, interventions

B

Bénin, profil 176 ; 69, 75, 157
Burkina Faso, profil 178 ; 156

C

Cadre de survie de l'enfant 8, 154-5
Causes des décès néonataux 15-20, 226, 229
Causes des décès néonataux, asphyxie à la naissance 16, 64, 229
Causes des décès néonataux, infections 17
Causes des décès néonataux, septicémie 17
Comores, profil 184
Consultations prénatales 42, 51-62, 115, 121, 142, 230-1
Consultations prénatales focalisées 52-5
Continuité des soins 6, 23-36, 116, 118, 120, 135, 161
Côte d'Ivoire, profil 187
Cycle de la vie 24

D

Diarrhée 94, 102, 104, 115
Dossiers tenus par les femmes 54

E

Engagements au niveau des politiques régionales 152
Enquêtes démographique et de santé 226
Équité 70, 157
Erythrée, profil 189, 156
Espacement des naissances 26, 42-5
Étapes des intervention et enveloppes de santé néonatale 70, 154, 161-2
Éthiopie, profil 190 ; 42, 144

F

Faire Reculer le Paludisme 130, 133
Feuille de Route pour la réduction de la mortalité maternelle et néonatale 8, 152-4
Fonds mondial pour le SIDA, la Tuberculose et le Paludisme 135
Formation 61, 69-70, 97-100, 109, 166

G

Gambie, profil 192
Ghana, profil 193
Guinée, profil 194
Guinée-Bissau, profil 195

I

Inde 98
Indicateurs 86, 169-70, 231
Inégalité, atteindre le pauvre 14-15, 28, 34, 145, 157, 227
Infection à VIH pendant la grossesse 6, 45, 106, 168, 58, 113-126
Infection respiratoire aiguë 230
Infections sexuellement transmissibles 42, 58
Infections, voir causes -
Initiative des hôpitaux amis-des-bébés 108-9, 229
Insuffisance pondérale à la naissance 10, 16, 81, 103, 128-9, 229
Intervalle de grossesse, avortement/fausse-couche 44-5, 50
Intervalle de grossesse, naissance-à-grossesse 44-5, 50
Intervalle de grossesse, naissance-à-naissance 44-5, 50
Interventions, asphyxie à la naissance 18
Interventions, cycle de la vie 24-6
Interventions, infections 17-19
Interventions, naissance prématurée 18-19

K

Kenya, profil 196 ; 13, 166

L

Liberia, profil 198

M

Madagascar, profil 199 ; 5, 111, 155-6
Maisons d'attente de maternité 32, 72
Malawi, profil 200 ; 68, 70, 99, 132, 155-6, 165
Mauritanie, profil 202
Mobilisation communautaire 109, 144
Modèles des retards (3 retards) 64
Mongella, Dr Gertrude 2
Mort-nés, intra-partum 64, 128
Moustiquaires imprégnées aux insecticides (MII) 130-132
Mozambique, profil 204 ; 120
Mutilation génitale de la femme 39-41

N

Nations du G8 2, 20
Népal 31
Niger, profil 206
Nigeria, profil 207
Nutrition des filles et des femmes 39-40, 91
Nutrition maternelle 102-4

O

Objectifs d'Abuja 8, 156, 169
Objectifs du Millénaire pour le Développement 7, 12-13, 133, 152-3, 157, 160, 170, 228
Occasions ratées 57, 69, 161, 230
Ouganda, profil 218 ; 33, 72, 120, 146, 155-7, 168,
Outils de fixation des coûts 164

P

Paiements des utilisateurs 56, 75, 157-8
Paiements propres 56, 75, 157-8
Paludisme pendant la grossesse 58, 115, 127-136
Partenariat pour la Santé maternelle, néonatale et infantile (PSMNI) 8
Pauvreté 14, 35, 128
PCIME communautaire 92, 95
Petits bébés, voir insuffisance pondérale à la naissance
Préparatifs à la naissance 57, 72, 157
Prestataire qualifié 28, 66, 68-9, 75, 85, 157
Prévention de la transmission mère-à-enfant (PTME) des programmes de VIH 113-126, 168
Prise en Charge intégrée des Maladies de l'Enfance 29, 91-100
Programme élargi de Vaccination (PEV) 29-30, 144-5
Programmes de vaccination 137-147
Promotion de la nutrition et de l'allaitement maternel 101-112

R

Réforme du secteur de la santé 155
République démocratique du Congo, profil 186
Ressources humaines 165-6
Revenu national brut (RNB) 155, 229
Rwanda, profil 208 ; 75

S

Sages-femmes 70, 73
Santé des adolescents 6, 7, 24, 28, 38-50
Schémas communautaires pour transferts en cas d'urgence et communication 72, 167
Sénégal, profil 210
Septicémie, voir causes de décès

Série de santé maternelle de The Lancet 25, 101
Série de survie de l'enfant de The Lancet 25-6
Série de survie du nouveau-né de The Lancet 25, 101, 162, 227
Services mobiles/stratégie avancée 30, 32, 34, 48, 85
Sierra Leone, profil 212
Signes de danger, bébé 72, 82
Signes de danger, mère 72, 82
Soins à base communautaire 30-32, 48, 54, 67-8, 73, 85, 88, 93-6, 119, 121, 157, 166
Soins cliniques (basés dans les établissements) 26-33, 84, 120
Soins de la Mère Kangourou (MMK) 97
Soins obstétricaux d'urgence 67-72, 231
Soins postnatals 6, 29, 79-90, 230
Soins pour les filles et les femmes avant la grossesse 38-50
Songane, Dr Francisco 3
Soudan 143
Stratégie d'Alimentation du Nourrisson et du jeune Enfant 112, 121
Suivi et évaluation 74, 88, 122, 169

T

Tanzanie, profil 216 ; 8, 13, 60, 69, 99, 155-7, 161
Taux de mortalité infantile 13, 21, 228
Taux de mortalité maternelle 1, 227
Taux de mortalité néonatale 10, 14, 155, 226, 228
Taux de mortinatalité 10, 228
Taux de prévalence de la contraception 230
Tétanos, élimination du tétanos maternel et néonatal 18, 30, 139-42, 229
Togo, profil 217 ; 18
Traitement antirétroviral 6, 116, 122
Traitement préventif intermittent du paludisme pendant la grossesse 113-126, 168
Trousse néonatale essentielle pour la communauté 72
Trousses néonatales essentielles pour les établissements de santé 72

V

Vaccin du BCG 30, 138-42
Vaccination, antitétanique 139, 141
Vaccinations, DTC3 138, 141
Vaccinations, hépatite B 138, 142
Vaccinations, rubéole 138, 140, 142
Vaccinations, vaccin antipoliomyélitique (OPV) 138, 142

Z

Zambie, profil 219; 122, 158
Zimbabwe, profil 220; 13, 122

Remerciements photos

Couverture	Save the Children/ Brian Moody. Malawi.	Page 39	UNICEF/HQ05-2213/ Giacomo Pirozzi. République Démocratique du Congo
Page 1, De haut en bas	Save the Children/ Michael Bisceglie. Mali.	Page 43	Save the Children. Éthiopie
	The Population Council, Inc./ Melissa May. 2006. Afrique du Sud.	Page 44	Harry Mueller. 2005. Tanzanie
Page 5	UNICEF/HQ04-0897/ Shehzad Noorani. Soudan.	Page 47	Save the Children/ Michael Bisceglie. Malawi
Page 7	Harry Mueller. 2005. Tanzanie.	Page 51	Arzum Ciloglu/CCP, courtesy of Photoshare. 2002. Malawi.
Page 9	Save the Children/ Brian Moody. Malawi.	Page 53	Save the Children/ Michael Bisceglie. Éthiopie.
Page 11	UNICEF/HQ00-0183/ Giacomo Pirozzi. Mozambique.	Page 54	Harvey Nelson, courtesy of Photoshare, 2000. Zambie.
Page 21	Sara A. Holtz, courtesy of Photoshare. 2001. Togo.	Page 56	UNHCR/S. Mann. Sudan.
Page 22	UNICEF/HQ03-0311/ Christine Nesbitt. République Démocratique du Congo.	Page 57	Save the Children/ Michael Bisceglie. Burkina Faso.
Page 23	UNICEF/HQ02-0570/ Giacomo Pirozzi. Ghana.	Page 61	Save the Children/ Michael Bisceglie. Malawi.
Page 36	The Population Council, Inc./ Melissa May. 2006. Ghana.	Page 62	Save the Children/ Michael Bisceglie. Mozambique
Page 37	Save the Children/Mark Amann. Malawi.	Page 63	Save the Children/ Michael Bisceglie. Mali.
Page 38, Dans le sens des aiguilles d'une montre de haut en bas	Arzum Ciloglu/CCP, courtesy of Photoshare. 2002. Malawi.	Page 64	Luwei Pearson.
	UNICEF/HQ00-0255/ Giacomo Pirozzi. Mozambique.	Page 65	Save the Children/ Michael Bisceglie. Mali.
	Tammy Schroeder. 2005. Tanzanie.	Page 66	UNICEF/HQ04-0917/ Shehzad Noorani. Soudan.
	Save the Children/Mark Amman. Malawi.	Page 68	Luwei Pearson. Kenya.
	Save the Children/ Michael Bisceglie. Mali.	Page 71	Save the Children/ Michael Bisceglie. Mozambique
	Rachel Hoy, courtesy of Photoshare. 2004. Cameroun.	Page 73	Save the Children/ Michael Bisceglie. Malawi.
	Michael Bisceglie/ Save the Children. Malawi.	Page 76	Luwei Pearson.
	UNICEF/HQ05-2185/ Giacomo Pirozzi. République Démocratique du Congo.	Page 78	Save the Children/ Michael Bisceglie. Mali.
		Page 79	Save the Children/ NCI Communications. Malawi
		Page 83	UNICEF/HQ91-0161/Betty Press. Kenya

Page 87	Save the Children/ Michael Bisceglie. Mali	Page 135	Michael Bisceglie/ Save the Children. Malawi.
Page 88	Save the Children/Laura Brye. Zambie	Page 137	UNICEF/HQ00-0255/ Giacomo Pirozzi. Mozambique.
Page 89	UNICEF/HQ94-0263/ Giacomo Pirozzi. Cap Vert.	Page 138	Save the Children/ Michael Bisceglie. Mozambique.
Page 90	Lily Kak. Éthiopie.	Page 141	UNICEF/HQ04-1190/ Roger Lemoyne. République démocratique du Congo.
Page 91	Tammy Schroeder. 2005. Tanzanie.		
Page 97	Save the Children/Mark Amman. Malawi.	Page 147	Save the Children/ Michael Bisceglie.
Page 101	UNICEF/HQ05-2185/ Giacomo Pirozzi. République démocratique du Congo.	Page 151	UNICEF/HQ06-0174/ Michael Kamber. Kenya.
Page 103	Save the Children/ Michael Bisceglie. Éthiopie.	Page 153	UNICEF/HQ98-0533/ Giacomo Pirozzi. Sierra Leone.
Page 104	UNICEF/HQ04-0846/ Francois d'Elbee. Libéria.	Page 157	Save the Children/ Michael Bisceglie. Malawi.
Page 108	Linkages/Agnes Guyon. Éthiopie.	Page 161	Harry Mueller. 2006. Tanzanie.
Page 111	Save the Children/Joan Schubert. Ghana.	Page 167	Save the Children/ Michael Bisceglie. Malawi.
Page 112	Save the Children/ Michael Bisceglie. Mozambique	Page 168	Lukoda Ramathan. Uganda.
Page 113	Rachel Hoy, courtesy of Photoshare. 2004. Cameroun.	Page 169	Save the Children/ Michael Bisceglie. Éthiopie.
Page 114	UNICEF/HQ03-0295/ Christine Nesbitt. République démocratique du Congo.	Page 171	Save the Children/ Michael Bisceglie. Éthiopie.
Page 121	Save the Children/ Michael Bisceglie. Mozambique.	Page 172	Save the Children/ Michael Bisceglie. Mozambique.
Page 121	Save the Children/ Michael Bisceglie. Malawi.	Arrière de couverture De gauche à droite	Save the Children. Éthiopie. Harvey Nelson, courtesy of Photoshare, 2000. Zambie. Save the Children/Mark Amman. Malawi. Save the Children/ Michael Bisceglie. Éthiopie. The Population Council, Inc./ Melissa May. 2006. Ghana.
Page 125	Save the Children/ Michael Bisceglie. Malawi.		
Page 126	UNICEF/HQ05-1047/ Radhika Chalasani. Niger.		
Page 127	Michael Bisceglie/ Save the Children. Malawi.		
Page 129	UNICEF/HQ05-2133/ Giacomo Pirozzi. République démocratique du Congo.		

Examineurs

Kwame Asamoah
*CDC, Malaria Branch
USA*

Ana Betran
*WHO, Making Pregnancy
Safer
Switzerland*

Cythnia Boschi-Pinto
*WHO, Child and Adolescent
Health and Development
Switzerland*

Jean Baker
*AED, Center for Family Health
USA*

Al Bartlett
*USAID
USA*

Mary Carnell
*JSI, Child Health
USA*

Luc de Bernis
*UNFPA
Ethiopia*

Bernadette Daelmans
*WHO, Child and Adolescent
Health and Development
Switzerland*

Karen Edmond
*London School of Hygiene and
Tropical Medicine, Pediatric
Epidemiology
United Kingdom*

Rudi Eggers
*WHO, Vaccines and Biologicals
Switzerland*

Leslie Elder
*Save the Children-USA, Saving
Newborn Lives
USA*

Lynn Freedman
*University of Columbia,
AMDD
USA*

Francois Gasse
*UNICEF, Health Unit
USA*

Tracy Geoghegan
*Save the Children-USA
USA*

Adenike Grange
*IPA
Nigeria*

Peggy Henderson
*WHO, Department of Child
and Adolescent Health and
Development
Switzerland*

Sandra Huffman
*AED, Ready to Learn
USA*

Mie Inoue
*WHO, Evidence for
Information and Policy
Switzerland*

Monir Islam
*WHO, Making Pregnancy
Safer
Switzerland*

Carolyn Kruger
*AED, Linkages
USA*

Andre Lalonde
*FIGO
USA*

Elizabeth Mason
*WHO, Child and Adolescent
Health and Development
Switzerland*

Matthews Mathai
*WHO, Making Pregnancy
Safer
Switzerland*

Nahed Matta
*USAID, Maternal and
Newborn Health
USA*

Chris McDermott
*USAID
USA*

Subhi Mehdi
*USAID, Africa Bureau
USA*

Nomajoni Ntombela
*AED, Linkages
Zambia*

Vinod Paul
*All Institute of Medical Sciences,
Department of Pediatrics and
WHO Collaborating Center
India*

Ellen Piwoz
*AED, Center for Nutrition
USA*

Anayda Portela
*WHO, Making Pregnancy
Safer
Switzerland*

Fred Sai
*World Bank (retired)
Ghana*

Hamadoun Sangho
*CREDOS
Mali*

Harshad Sanghvi
*JHPIEGO, ACCESS
USA*

Jane Schaller
*IPA
Canada*

Robert Scherpbier
*WHO, Child and Adolescent
Health
Switzerland*

LaRue Seims
*Save the Children-USA, Saving
Newborn Lives
USA*

Eleonore Seumo
*AED
USA*

Kenji Shibuya
*WHO, Evidence for
Information and Policy
Switzerland*

Rick Steketee
*PATH
France*

Eric Swedberg
*Save the Children-USA,
Office of Health
USA*

Uzma Syed
*Save the Children-USA,
Saving Newborn Lives
USA*

Nancy Terreri
*UNICEF, Health Unit
USA*

Shyam Thapa
*Save the Children-USA,
Saving Newborn Lives
USA*

Fatoumata Tony
*Save the Children
Mali*

Constanza Vallenias
*WHO, Child and Adolescent
Health
Switzerland*

Juliana Yartey
*WHO, Making Pregnancy
Safer
Switzerland*

Aoua Zerbo
*Ministère de la Santé
Burkina Faso*

Jeremie Zoungrana
*JHPIEGO
Burkina Faso*

Jelka Zupan
*WHO, Making Pregnancy
Safer
Switzerland*

Tous nos remerciements aux réviseurs de la traduction française :

Seipati Mothebesoane-Anoh, Genevieve Begkoyian, Vincent Fauveau, Patricia Gomez, Antoine Serufulira, Hamadoun Sangho, Eleonore Seumo, Fatoumata Tony, Lalla Touré, Aoua Zerbo, Jeremie Zoungrana

Auteurs

Tunde Adegboyega
WHO, Child and Adolescent Health
Nigeria

Seipati Mothebesoane-Anoh
WHO, Making Pregnancy Safer
Congo

Eleonor ba-Nguz
WHO/AFRO, Malaria Unit
Zimbabwe

Rajiv Bahl
WHO, Child and Adolescent Health
Switzerland

Genevieve Begkoyian
UNICEF, WCARO
Senegal

Inam Chitsike
WHO/AFRO, Family and Reproductive Health Division
Congo

Mickey Chopra
Medical Research Council of South Africa, Health Systems Research Unit
South Africa

Simon Cousens
London School of Hygiene and Tropical Medicine, Infectious Disease Epidemiology Unit
United Kingdom

Patricia Daly
Save the Children-USA, ACCESS
USA

Robert Davis
UNICEF, ESARO
Kenya

Joseph de Graft Johnson
Save the Children-USA, ACCESS
USA

Tedbab Degefie
Save the Children-USA, Ethiopia field office
Ethiopia

Vincent Fauveau
UNFPA, Reproductive Health Branch
Switzerland

Patricia Gomez
JHPIEGO, ACCESS
USA

Agnes Guyon
AED, Linkages
Ethiopia

Phanuel Habimana
WHO/AFRO, Child and Adolescent Health
Zimbabwe

Lily Kak
USAID, Maternal and Newborn Health
USA

Kate Kerber
BASICS
Save the Children-USA, Saving Newborn Lives
South Africa

Tigest Ketsela
WHO/AFRO, Child and Adolescent Health
Zimbabwe

Margareta Larsson
WHO, Making Pregnancy Safer
Switzerland

Joy Lawn
Save the Children-USA, Saving Newborn Lives
South Africa

Ornella Lincetto
WHO, Making Pregnancy Safer
Switzerland

Chewe Luo
UNICEF, HIV/AIDS and Health
USA

Patricia MacDonald
USAID, Office of Population and Reproductive Health
USA

Luann Martin
AED, Linkages
USA

Jose Martines
WHO, Child and Adolescent Health and Development
Switzerland

Andrew Mbewe
WHO/AFRO, Family and Reproductive Health Division
Congo

Gezahegn Mengiste
UNICEF (now retired)

Pyande Mongi
WHO/AFRO, Child and Adolescent Health
Congo

Stephen Munjanja
Harare Hospital
Zimbabwe

Winnifred Mwebesa
Save the Children-USA, Office of Health
USA

Josephine Namboze
WHO/ICST/AFRO
Zimbabwe

Indira Narayanan
BASICS
USA

Hana Nekatebeb
AED, Linkages
Ethiopia

Maureen Norton
USAID, Office of Population and Reproductive Health
USA

Jesca Nsungwa Sabiiti
Uganda Ministry of Health
Uganda

Doyin Oluwole
AED/Africa 2010
USA

Susan Otchere
Save the Children-USA, Saving Newborn Lives
USA

Luwei Pearson
UNICEF, ESARO
Kenya

Victoria Quinn
AED, Linkages (Now Helen Keller International)
USA

Melanie Renshaw
UNICEF
USA

Magda Robalo
WHO/AFRO
Zimbabwe

Khama Rogo
World Bank
USA

Nigel Rollins
University of KwaZulu-Natal, Department of Paediatrics and Child Health
South Africa

Charles Sagoe-Moses
WHO/AFRO
Ghana

Antoine Seruflira
WHO/AFRO
Gabon

Fouzia Shafique
UNICEF
USA

Rumishael Shoo
UNICEF, ESARO
Kenya

Judith Standley
UNICEF
USA

Aboubacry Thiam
BASICS
Senegal

Anne Tinker
Save the Children-USA, Saving Newborn Lives
USA

Lalla Touré
UNICEF, WCARO
Senegal

Charlotte Warren
Population Council
Kenya

Abimbola Williams
UNICEF
Nigeria

Jos Vandelaer
UNICEF, Health Section and WHO, Vaccines and Biologicals
Switzerland

Ahmadu Yakubu
UNICEF, ESARO
Kenya